



Catalogue

Mechanical Lock



Introduction



ASSA ABLOY, the global leader in door opening solutions, is dedicated to satisfying end-user needs for security, safety and convenience. Since its formation in 1994, ASSA ABLOY has grown from a regional company to an international group with 47,000 employees, and operations in over 70 countries. ASSA ABLOY offers the most complete range of door opening solutions globally. ASSA ABLOY prides itself on innovation and has been recognised on no less than four occasions as one of the top 100 most innovative companies globally.

ASSA ABLOY Opening Solutions Malaysia Sdn Bhd was formed in 2019 after successfully combining the established and renowned Teamware hardware services business (Established 1996 and Acquired by ASSA ABLOY in 2015) and ASSA ABLOY Malaysia. This newly formed entity brings to the market a dynamic blend of locally relevant and established market brands like Yale, St Guchi and ASSA ABLOY; with the global reputation and financial backing of a large listed European shareholding.

ASSA ABLOY Opening Solutions Malaysia offers a Turnkey door opening solution from concept through design and delivery; for architects, interior designers, facade consultants, quantity surveyors and developers. Our cloud based BIM software integration delivers industry-leading architectural process control and visualization of door scheduling and openings, while streamlining information exchange and design. This coupled with dedicated specification, projects, ironmongery, Aluminum and Glass divisions and backed by an established and reputable network of approved distributors and dealers; ensures complete comfort, integrity and security from design to development and installation.

Our comprehensive range of offerings include Smart Digital Door locks, Mechanical locks, Aluminum and glass fittings, door and architectural hardware, Smart Safe Box, Padlocks, Door Knobs, DOOR CLOSER and fire rated doors. Our Locksets can modify to one key system, key alike system, master key system, grand master key system and construction key system. All of our offerings are backed by the ASSA ABLOY quality assurance warranty, 24 hour customer service and certified to global and local certifications standards like BS EN or ANSI with local accreditation by SIRIM, Intertek and TUV.

About Us

Established in 1996, St Guchi is one of the leading brands in providing single source solution for doors & windows hardware in Malaysia. Since its inception, through innovation and continuous improvement in product development, St Guchi has expanded its product offerings from the humble mechanical locks, aluminium & glass accessories, door & architectural hardware, sliding & folding doors systems to include fire rated doors and digital door locks. By 2015, it has become the leading brand for lock set and hardware in Malaysia.

St Guchi is now part of Yale, the residential consumer master brand under ASSA ABLOY Group after it was acquired by the group in 2015.

At 180 years strong, Yale is a leading security brand that protects the people, places, and things we love most. We secure millions of homes and businesses worldwide with our innovative mechanical locks, alarms, safes and smart locks for front doors, interior doors, and cabinets, package deliveries and more. For more information, visit www.yalehome.com/my

Group and employer brand

ASSA ABLOY

Master brands

ASSA ABLOY

Yale

Business descriptors

ASSA ABLOY
Opening Solutions

StGuchi
YOUR SECURITY PARTNER

Brand Essence and Values

Our vision is to be the global leader in providing innovative access solutions that help people feel safe and secure so that they can experience a more open world.

We talk about how we help billions of people feel safe, secure and experience a more open world every day. We convey that ASSA ABLOY Group is the global leader in access solutions. And we talk about how innovation has defined us from the very beginning.

Our brand values stand at the very core of your brand. They are the center from which everything radiates—including our look (design), message (voice), and relationships (customer interactions).



Safe

We help people feel safe by focusing on avoiding unintended incidents, such as accidents. Our products and we operate with people's safety in mind.



Secure

We care about the protection of individuals, organizations and assets. People should experience freedom from worries, safe in the knowledge that certain safeguards are in place. People rely on us to protect them, their loved ones and their belongings.



Convenient

Our convenient access solutions help people feel safe and secure in a convenient way.



Innovative


We lead in innovation; our vision is to be the global leader in providing innovative access solutions that help people feel safe and secure so they can experience a more open world.




Sustainable

We are committed to providing products and services that are environmentally sound, as sustainability is a central part of our business philosophy and culture.

Your Single Source Solution for Doors & Windows Hardware




Types of Cylinders Key



Key Alike System

KA


All the cylinders have the same differ and be opened only by one key.



Master Key System

MK


Every cylinder can be opened by its own key which cannot open any other cylinder of the system. All the cylinders can be opened by the MK management key.



Grand Master Key System

GMK


Same as the management key system but in two or more groups. Every group of cylinders can be opened by its own service key. All the cylinders of the system can be opened by the GMK grand management key.



Central Cylinder System


CC

Every cylinder has its own key which cannot open any other cylinder of the system. All the keys of the system can open the cylinder of the central lock.



Central Cylinder System and Master KeyCCMK

Every cylinder has its own key which cannot open any other cylinder of the system, except the central system. All the cylinders of the system can be open by the MK management key.



Construction Keyed System


CMK

A system where it is necessary for contractors to gain entry to a building during construction but to prevent entry by the same contractors after the building has been occupied or handed over. The system makes it possible to change from construction keying to normal keying.

List Of Finishes

	AB	- Antique Brass		PB	- Polished Brass
	AC	- Antique Cooper		PVD	- Physical Vapor Deposition
	ACC	- Antique Coffee Cooper		PWT	- Pewter
	AMB	- Aluminum Matt Black		SB	- Satin Bright Gold
	AN	- Antique Nickel		SC	- Satin Chrome
	BN	- Black Nickel		SN	- Satin Nickel
	CP	- Chrome Plated		SP	- Stainless Steel Polished
	DAB	- Dark Antique Brass		SS	- Stainless Steel
	PAB	- Polished Antique Brass		TI	- Titanium Gold
					

Left or Right Open Door



Contents


		1 - 10	<u>LEVER MORTISE</u>
		11 - 28 29 - 39	<u>LEVER HANDLE</u> <u>PULL HANDLE</u>
		40 - 52 53 - 54	<u>MORTISE LOCK</u> <u>EURO PROFILE CYLINDER</u>
		53 - 61 62 - 64	<u>GRIPSET</u> <u>DEADBOLT</u>
		65 - 73 74 - 80	<u>TUBULAR LEVER</u> <u>CYLINDRICAL LOCK</u>
		81 - 86 87 - 88	<u>PADLOCK</u> <u>LUGGAGE LOCK</u>

Contents




89 - 95

[DOOR HINGE](#)



96 - 97

[PANIC
EXIT DEVICE](#)



98 - 116

[DOOR CONTROL](#)



117 - 139

[DOOR
ACCESSORIES](#)



140 - 153

[SLIDING & FOLDING
DOOR FITTING](#)



154 - 159

[JAD BRAND](#)



LEVER MORTISE

* All the measurements are in millimeter (mm)

* Dimensional data not binding. We reserve the right to alter specifications without notice.

LEVER MORTISE




SPECIFICATIONS

- Stainless Steel SUS304 1.2mm thickness Forend plate (Square)
- Stainless Steel SUS304 2mm thickness Striker plate (Square)
- Zinc Diecast 1 x Curve Design Latch bolt
- Zinc Diecast 1 x Square Deadbolt
- Electrolytic steel 1.2mm Lockcase
- Zinc Diecast 8mm x 8mm Follower


FEATURES

- 45mm Backset of door
- 50mm Center distance of lock
- Sash Lock Function
- Single Turn Deadbolt

Exploded View



LEVER MORTISE



SGLM-4550/0912

Lever Mortise Handle Complete with 4550
Mortise Lock without Cylinder


Material - Zinc Diecast

Finishing - SSSP

Backset - 45

Door Thickness - 25 - 47

Packing - 12 sets/carton



SGLM-4550/1408

Lever Mortise Handle Complete with 4550
Mortise Lock without Cylinder

Material - Stainless Steel SUS304


Finishing - SSSP

Backset - 45

Door Thickness - 35 - 50

Packing - 12 sets/carton

LEVER MORTISE



SGLM-4550/1507

Lever Mortise Handle Complete with 4550
Mortise Lock without Cylinder


Material - Stainless Steel SUS304

Finishing - SSSP

Backset - 45

Door Thickness - 35 - 50

Packing - 12 sets/carton



SGLM-4550/1606

Lever Mortise Handle Complete with 4550
Mortise Lock without Cylinder

Material - Stainless Steel SUS304


Finishing - SSSP

Backset - 45

Door Thickness - 35 - 50

Packing - 12 sets/carton

LEVER MORTISE



SGLM-4550/2007

Lever Mortise Handle Complete with 4550
Mortise Lock without Cylinder


Material - Zinc Diecast

Finishing - SSSP

Backset - 45

Door Thickness - 25 - 47

Packing - 12 sets/carton



SGLM-4550/3211

Lever Mortise Handle Complete with 4550
Mortise Lock without Cylinder

Material - Zinc Diecast


Finishing - SSSP

Backset - 45

Door Thickness - 25 - 47

Packing - 12 sets/carton


LEVER MORTISE



SGLM-4550/20021

Lever Mortise Handle Complete with 4550
Mortise Lock without Cylinder


Material	- Stainless Steel SUS304
Finishing	- SSSP
Backset	- 45
Door Thickness	- 25 - 47
Packing	- 6 sets/carton



SGLM-4550/20023

Lever Mortise Handle Complete with 4550
Mortise Lock without Cylinder

Material	- Stainless Steel SUS304
Finishing	- SSSP
Backset	- 45
Door Thickness	- 25 - 47
Packing	- 6 sets/carton




SGLM-4550/71137

Lever Mortise Handle Complete with 4550
Mortise Lock without Cylinder

Material	- Zinc Diecast
Finishing	- SN
Backset	- 45
Door Thickness	- 25 - 47
Packing	- 12 sets/carton

LEVER MORTISE



SGLM-5050/V1405

Lever Mortise Handle Complete with 5050 Mortise Lock without Cylinder


Material - Zinc Diecast

Finishing - SN

Backset - 50

Door Thickness - 32 - 47

Packing - 20 sets/carton



SGLM-5050/E2201

Lever Mortise Handle Complete with 5050 Mortise Lock without Cylinder

Material - Zinc Diecast


Finishing - AB

Backset - 50

Door Thickness - 32 - 47

Packing - 20 sets/carton


LEVER MORTISE



SGLM-H3003-01

Material	- Satin Nickel
Finishing	- Chrome Plated
Backset	- 45
Packing	- 20 sets/box, 40 sets/ carton


LEVER MORTISE



SGLM-NM2013/D60

Lever Mortise Handle Complete with
25 x 70mm Mortise Sash Lock & 60mm Double
Key Profile Cylinder

Material	- Zinc Diecast & Steel
Finishing	- AB / SN
Backset	- 25
Door Thickness	- 25 - 45
Packing	- 20 sets/carton







SGLM-NM2015/D60

Lever Mortise Handle Complete with
25 x 70mm Mortise Sash Lock & 60mm Double
Key Profile Cylinder

Material	- Zinc Diecast
Finishing	- SN
Backset	- 25
Door Thickness	- 25 - 47
Packing	- 20 sets/carton

LEVER MORTISE



SGML-FB8560/00

Lever Mortise Handle Complete with
25 x 70mm Mortise Sash Lock & 60mm Double
Key Profile Cylinder

Material	- Zinc Diecast & Steel
Finishing	- AB / SS
Backset	- 25
Door Thickness	- 25 - 42
Packing	- 12 sets/carton

SGLM-NMV7025/D60

Lever Mortise Handle Complete with
25 x 70mm Mortise Sash Lock & 60mm Double
Key Profile Cylinder

Material	- Zinc Diecast & Steel
Finishing	- AB / SS
Backset	- 25
D.Thickness	- 25-42
Packing	- 12 sets/ctn

SGLM-NM7028/D60

Lever Mortise Handle Complete with
25 x 70mm Mortise Sash Lock & 60mm Double
Key Profile Cylinder

Material	- Zinc Diecast & Steel
Finishing	- SN
Backset	- 25
Door Thickness	- 25 - 42
Packing	- 20 sets/carton

SGLM-4085/IZ001/D60

Lever Mortise Handle Complete with
SGML-854000 Mortise Sash Lock & 60mm
Double Key Profile Cylinder

Material	- Zinc Diecast
Finishing	- AB / SN
Backset	- 40
Door Thickness	- 25 - 36
Packing	- 12 sets/carton

**LEVER
HANDLE
SERIES**


LEVER HANDLE - LEVER HANDLE WITH PLATE




SPECIFICATIONS

- Handle & Back Plate - Stainless Steel SUS304, Brass & Zinc Diecast
- 85mm Centre To Centre Installation Distance
- Applied To The Left or Right Open Door
- Solid Stainless Steel SUS304 Diecast
- Solid Brass Diecast
- Solid Zinc Diecast
- Galvanized Steel 8mm x 8mm Spindle

Exploded View




LEVER HANDLE - LEVER HANDLE WITH PLATE




SGLHP-8504-04

Material	- Solid Stainless Steel SUS304
Finishing	- SSSP
Door Thickness	- 35 - 47
Packing	- 6 pairs/carton



SGLHP-8504-33

Material	- Solid Stainless Steel SUS304
Finishing	- SSSP
Door Thickness	- 35 - 47
Packing	- 6 pairs/carton




SGLHP-8507-32

Material	- Solid Stainless Steel SUS304
Finishing	- SSSP
Door Thickness	- 35 - 47
Packing	- 6 pairs/carton


*Pre order with minimum MOQ required

LEVER HANDLE - LEVER HANDLE WITH PLATE




SGLHP-68501

Material	- Stainless Steel SUS304
Finishing	- SSSP
Door Thickness	- 35 - 47
Packing	- 6 pairs/carton



SGLHP-88501


Material	- Stainless Steel SUS304
Finishing	- SSSP
Door Thickness	- 35 - 47
Packing	- 6 pairs/carton



SGLHP-8511-004


Material	- Stainless Steel SUS304
Finishing	- SS
Door Thickness	- 32 - 47
Packing	- 6 pairs/carton

LEVER HANDLE - LEVER HANDLE WITH PLATE




SGLHP-98504

Material	- Stainless Steel SUS304
Finishing	- SSSP
Door Thickness	- 35 - 47
Packing	- 6 pairs/carton



SGLHP-8509-013


Material	- Stainless Steel SUS304
Finishing	- SS
Door Thickness	- 32 - 47
Packing	- 12 pairs/carton



SGLHP-5152


Material	- Stainless Steel SUS304
Finishing	- SSSP
Door Thickness	- 32 - 47
Packing	- 6 pairs/carton

LEVER HANDLE - LEVER HANDLE WITH PLATE




SGLHP-0506 SN

Material	- Zinc Diecast
Finishing	- SN
Packing	- 6 pairs/carton



SGLHP-3707


Material	- Stainless Steel SUS304
Finishing	- SSSP
Door Thickness	- 32 - 47
Packing	- 6 pairs/carton



SGLHP-28501


Material	- Stainless Steel SUS304
Finishing	- SSSP
Door Thickness	- 35 - 47
Packing	- 6 pairs/carton

LEVER HANDLE - LEVER HANDLE WITH PLATE



SGLHP-33021


Material	- Stainless Steel SUS304
Finishing	- SSSP
Door Thickness	- 35 - 47
Packing	- 6 pairs/carton



SGLHP-33021-C

Concealed Screw


Material	- Stainless Steel SUS304
Finishing	- SSSP
Door Thickness	- 35 - 47
Packing	- 6 pairs/carton



SGLHP-33022

Material	- Stainless Steel SUS304
Finishing	- SSSP
Door Thickness	- 35 - 47
Packing	- 6 pairs/carton


LEVER HANDLE - LEVER HANDLE WITH PLATE



SGLHP-33022-C

Concealed Screw

Material	- Stainless Steel SUS304
Finishing	- SSSP
Door Thickness	- 35 - 47
Packing	- 6 pairs/carton



SGLHP-38504


Material	- Stainless Steel SUS304
Finishing	- SS
Door Thickness	- 35 - 47
Packing	- 6 pairs/carton



SGLHP-38101


Material	- Stainless Steel SUS304
Finishing	- SS
Packing	- 15 pairs/carton

LEVER HANDLE - LEVER HANDLE WITH PLATE



SGLHP-71213

Material	- Zinc Diecast
Finishing	- SN / White / Black
Packing	- 20 pairs / carton




SGLHP-71301

Material	- Zinc Diecast
Finishing	- SN
Packing	- 20 pairs / carton

LEVER HANDLE - SOLID LEVER HANDLE




Exploded View



SPECIFICATIONS


- Stainless Steel SUS304 & Zinc Diecast Handle & Rose
- Suitable for 72mm or 85mm Centre to Centre Installation Distance
- Applied To The Left or Right Open Door

LEVER HANDLE - SOLID LEVER HANDLE




SGLHR-470

Material	- Stainless Steel SUS304
Finishing	- SS
Packing	- 20 pairs/carton



SGLHR-740


Material	- Solid Stainless Steel SUS304
Finishing	- SS
Packing	- 20 pairs/carton



SGLHR-1002

Material	- Solid Stainless Steel SUS304
Finishing	- SS
Packing	- 20 pairs/carton

LEVER HANDLE - SOLID LEVER HANDLE




SGLHR-1046

Material - Solid Stainless Steel
SUS304

Finishing - SS


Packing - 20 pairs/carton

LEVER HANDLE - HOLLOW LEVER HANDLE




SGLHR-004

Material	- Stainless Steel SUS304
Finishing	- SS
Packing	- 20 pairs/carton



SGLHR-024


Material	- Stainless Steel SUS304
Finishing	- SS
Packing	- 20 pairs/carton



SGLHR-025

Material	- Stainless Steel SUS304
Finishing	- SS
Packing	- 20 pairs/carton

LEVER HANDLE - HOLLOW LEVER HANDLE




SGLHR-027

Material	- Stainless Steel SUS304
Finishing	- SS
Packing	- 20 pairs/carton




Matt Black



SGLHR-101


Material	- Stainless Steel SUS304
Packing	- 20 pairs/carton
Finishing	- SS/SS Matt Black/Black Nylon



SGLHR-102


Material	- Stainless Steel SUS304
Finishing	- SS
Packing	- 20 pairs/carton

LEVER HANDLE - HOLLOW LEVER HANDLE




SGLHR-2107

Material	- Stainless Steel SUS304
Finishing	- SS
Packing	- 20 pairs/carton




SGLHR-901

Material	- Stainless Steel SUS304
Finishing	- SS
Packing	- 20 pairs/carton



SGLHR-GL01/F31

Material	- Stainless Steel SUS304
Finishing	- SS
Packing	- 20 pairs/carton




SGLHR-201

Material	- Stainless Steel SUS304
Packing	- 20 pairs/carton
Finishing	- SS

LEVER HANDLE - HOLLOW LEVER HANDLE



Matt Black




SGLHR-2104

Material	- Stainless Steel SUS304
Packing	- 20 pairs/carton
Test Report	- P5-007108
Finishing	SS/Matt Black




Matt Black



SGLHR-2504


Material	- Stainless Steel SUS304
Packing	- 20 pairs/carton
Finishing	- SS/SSSP/Matt Black



SGLHR-501

Material	- Stainless Steel SUS304
Packing	- 20 pairs/carton
Finishing	- SS

LEVER HANDLE - HOLLOW LEVER HANDLE




SGLHR-GL04/F31

Material - Stainless Steel SUS304

Finishing - SS

Packing - 20 pairs/carton




SGLHR-GL22/F51

Material - Stainless Steel SUS304

Finishing - SS

Packing - 20 pairs/carton



SGLHR-GL26/F51


Material - Stainless Steel SUS304

Finishing - SS

Packing - 20 pairs/carton



PULL HANDLE SERIES



SGPH-8204 S-2

Square Pull Handle

Material - Stainless Steel SUS304

Finishing - SS

Function - One Side Thumbturn

Size - 2000mm

SGPH-8204 S-3

Square Pull Handle

Material - Stainless Steel SUS304

Finishing - SS


Function - Double Key

Size - 2000mm



Big Handle comes with lock, do not need to squat down to open the glass door.

PULL HANDLES WITH LOCK



SGPH-8200 R-1

Round Pull Handle

Material - Stainless Steel SUS304

Finishing - SS

Function - Thumbturn & Key

Size - 2000mm

SGPH-8200 R-3

Round Pull Handle

Material - Stainless Steel SUS304

Finishing - SS


Function - Double Key

Size - 2000mm



Big Handle comes with lock, do not need to squat down to open the glass door.

PULL HANDLE



SGPH-273


Material - Steel

Finishing - AMB / PC

Packing - 10 pairs/carton

Size	A	B	C
38	900	580	100
38	1200	950	100
38	1600	1350	100

PULL HANDLE




SGPH-256

Material - Stainless Steel SUS304 + Wood

Finishing - Walnut / SSSP

Size	A	B	C
52	1500	1445	80



SGPH-494

Material - Steel

Finishing - AMB + PC

Size	A	B	C
32	1200	800	74

PULL HANDLE



Walnut



SGPH-236

Material - Stainless Steel SUS304 + Wood

Finishing - Walnut

Size	A	B	C	Packing
25	310	200	70	30 pairs/carton
38	610	340	70	15 pairs/carton



Walnut



SGPH-525

Walnut Pull Handle

Material - Stainless Steel SUS304 + Wood


Finishing - Walnut

Packing - 15 pairs/carton

Size	A	B	C
32	600	400	78
32	1200	950	78



Walnut



SGPH-270

Material - Stainless Steel SUS304 + Wood

Finishing - Walnut

Size	A	B	C	Packing
38	600	400	78	15 pairs/ctn
38	900	600	78	10 pairs/ctn
38	1200	950	78	10 pairs/ctn


PULL HANDLE



SGPH-217A

Material - Stainless Steel SUS304
Finishing - SS
Packing - 10 pairs/carton

Size	A	B	C
38	600	562	80
38	900	862	80
38	1200	1162	80
38	1600	1562	80




SGPH-218A

Material - Stainless Steel SUS304
Finishing - SS
Packing - 10 pairs/carton

Size	A	B	C
25 x 38	600	575	65
25 x 38	900	875	65
25 x 38	1200	1175	65

PULL HANDLE



SGPH-319

Material - Stainless Steel SUS304

Finishing - SMS

Size	A	B	C	Packing
25 x 45	600	395	64	15 pairs/carton



SGPH-239


Material - Stainless Steel SUS304

Finishing - SSSP

Packing - 20 pairs/carton

Size	A	B	C
38	600	350	78

PULL HANDLE



SGPH-523

Pull Handle

Material - Stainless Steel SUS304

Finishing - SS

Size	A	B	C	Packing
20 x 40	600	400 - 500	74	15 pairs/carton
20 x 40	900	700 - 800	74	10 pairs/carton
20 x 40	1200	900 - 1000	74	10 pairs/carton
20 x 40	1500	1000 - 1200	74	4 pairs/carton



SGPH-104

Material - Stainless Steel SUS304

Size	A	B	C	Finishing
32	450	288	68	SSSP / SS
32	600	400	68	SSSP / SMS
38	900	580	74	SSSP / SS / SMS
38	1200	950	74	SMS
45	1500	1200	90	SSSP
45	2100	1800	98	SSSP




SMS



SS


PULL HANDLE



SGPH-3001/200

Material	- Aluminum
Finishing	- AC
Packing	- 20 pairs/carton

PULL HANDLE




SGPH-SZ001

Pull Plate + Handle

Material - Stainless Steel SUS304

Finishing - SS

Packing - 20 pcs/carton




SGPH-SZ002

Push Plate

Material - Stainless Steel SUS304

Finishing - SS

Packing - 60 pcs/carton



SGPH-053

D-Pull Handle

Material - Stainless Steel SUS304


Finishing - SS

Packing - 50 pcs/carton

Size	A	B	C	D
19 x 150	150	52	63	19
19 x 229	229	52	63	19



JDWPH-104 PULL HANDLES



JDWPH-104 Pull Handle



Material	-	Stainless Steel 201
Finishing	-	SP
Packing	-	10 pairs/carton

Size	A	B	C
38	150	1200	38



MORTISE LOCK

MORTISE LOCK



- A - Forend Plate
- B - Latch Bolt
- C - Dead Bolt
- D - Screw Channel for Cylinder
- E - Lockcase
- F - Action-arm
- G - Follower
- H - Turning Device
- I - Spring

- J - Backset
- K - Distance
- L - Lockcase Width
- M - Lockcase Height
- N - Forend Length
- O - Forend Width
- P - Lockcase Thickness
- Q - Forend Thickness



SUS304 Latch



SUS304 Bolt




SUS304 Forend Plate
& Striker Plate

Item	J	K	L	M	N	O	P	Q	SS	AB	PB	SUS304 Latch	SUS304 Bolt	Brass Latch	Brass Bolt	Fire Rated
25 x 85	25	85	42	172	240	23	15	3	●					●	●	
30 x 85	30	85	47	172	240	23	15	3	●					●	●	
40 x 85	40	85	67	172	240	23	15	3	●		●			●	●	
45 x 85	45	85	72	172	240	23	15	3	●					●	●	
50 x 85	50	85	76	172	240	23	15	3	●	●	●	●	●			●
60 x 85	60	85	87	172	240	23	15	3	●		●	●	●			●
70 x 85	70	85	97	172	240	23	15	3	●			●	●			●




MORTISE LOCK



Mortise Sash Lock

- Description**
- With Latch bolt and Deadbolt.
 - Outside cylinder retracts latch bolt and lock or unlock Deadbolt.
 - Inside thumbturn or cylinder retracts latch bolt and lock or unlock Deadbolt.
 - Outside and inside handle/ knob always retracts latch bolt.


Code	Deadbolt Turn	Finishing	Backset	Packing
SGML-852500	1 turn	SS	25mm	25 sets/carton
SGML-853000	1 turn	SS	30mm	25 sets/carton
SGML-853500	2 turn	SS	35mm	25 sets/carton
SGML-854000	2 turn	SS	40mm	25 sets/carton
SGML-854500	2 turn	SS	45mm	25 sets/carton
SGML-856000	2 turn	SS	60mm	25 sets/carton



Mortise Privacy

- Description**
- With Latch bolt and Deadbolt.
 - Outside coin-slots retracts latch bolt and lock or unlock Deadbolt.
 - Inside thumbturn retracts latch bolt and lock or unlock Deadbolt.
 - Outside and inside handle/ knob always retracts latch bolt.

Code	Deadbolt Turn	Finishing	Backset	Packing
SGML-856001	2 turn	SS	60mm	25 sets/carton




Mortise Passage

- Description**
- With only latch bolt, No cylinder.
 - Outside and inside handle/ knob always retracts latch bolt.

Code	Deadbolt Turn	Finishing	Backset	Packing
SGML-856003	-	SS	60mm	25 sets/ carton


MORTISE LOCK



Mortise Storeroom

- Description**
- With Latch bolt and Auxiliary latch bolt.
 - Outside cylinder retracts latch bolt.
 - Outside One sided cylinder, inside no cylinder.
 - Outside no handle/ knob or rigid at all the time
 - Inside handle/ knob always retracts latch bolt .
 - Auxiliary latch bolt (Anti-thrust) .


Code	Deadbolt Turn	Finishing	Backset	Packing
SGML-856005	2 turn	SS	60mm	25 sets/carton



Mortise Classroom

- Description**
- With Latch bolt and Auxiliary latch bolt.
 - Outside cylinder retracts latch bolt.
 - Outside One sided cylinder, inside no cylinder.
 - Outside handle retracts latch bolt except when outside handle is locked by key.
 - Inside Handle always retracts latch bolt.
 - Auxiliary latch bolt (Anti-thrust).

Code	Deadbolt Turn	Finishing	Backset	Packing
SGML-856008	2 turn	SS	60mm	25 sets/carton




Mortise Roller

- Description**
- With roller latch and Deadbolt.
 - Outside cylinder retracts roller latch and lock or unlock Deadbolt.
 - Inside cylinder retracts roller latch and lock or unlock Deadbolt.
 - Roller latch operated free moveable.

Code	Deadbolt Turn	Finishing	Backset	Packing
SGML-855010	2 turn	SS	50mm	25 sets/carton
SGML-856010	2 turn	SS	60mm	25 sets/carton


MORTISE LOCK



Mortise Anti-Panic

- Description**
- With Latch bolt and deadbolt.
 - Outside cylinder retracts latch bolt and lock or unlock deadbolt.
 - Inside cylinder retracts latch bolt and lock or unlock deadbolt.
 - Outside and inside handle/knob always retracts latch bolt.
 - Inside handle/knob can retract both latch bolt and deadbolt for emergency escape.

Code	Deadbolt Turn	Finishing	Backset	Packing
SGML-856011	1 turn	SS	60mm	25 sets/carton




Mortise Dead Lock

- Description**
- With only Deadbolt.
 - Outside key retracts deadbolt.
 - Inside thumbturn retracts deadbolt.

Code	Deadbolt Turn	Finishing	Backset	Packing
SGML-856012	2 turn	SS	60mm	25 sets/carton

MORTISE LOCK



SGML-FB8550/00

Four Bolt Mortise Lock

Finishing	- SS
Backset	- 50 / 60
Function	- Entrance
Packing	- 25 pcs/carton




SUS304 Bolt



SUS304 Forend Plate
& Striker Plate



4 x Anti-Saw
Deadbolt



SGML-FB8560/00

Four Bolt Mortise Lock

Finishing	- SS
Backset	- 50 / 60
Function	- Entrance
Packing	- 25 pcs/carton



SUS304 Bolt




SUS304 Forend Plate
& Striker Plate



4 x Anti-Saw
Deadbolt

MORTISE LOCK



SGML-725500

Mortise Sash Lock

Finishing	- SS
Backset	- 55
Function	- Entrance
Packing	- 25 pcs/carton




SUS304 Latch




SUS304 Bolt



SUS304 Forend Plate
& Striker Plate



SUS304 Diecast
Follower



SGML-726000

Mortise Sash Lock

Finishing	- SS
Backset	- 60
Function	- Entrance
Packing	- 25 pcs/carton




SUS304 Latch




SUS304 Bolt



SUS304 Forend Plate
& Striker Plate



SUS304 Diecast
Follower



SGML-D118/60

Mortise Dead Lock

Finishing	- SS
Backset	- 60
Packing	- 25 pcs/carton



SUS304 Bolt




SUS304 Forend Plate
& Striker Plate



SUS304 Lockcase
& Striker Plate

MORTISE LOCK



SGML-D102/50

Security Dead Lock


Finishing	- SS
Backset	- 50
Packing	- 20 pcs/carton



SUS304 Forend Plate
& Striker Plate



Anti-Saw Deadbolt




SGML-D8306/40

Dead Lock

Finishing	- SS
Backset	- 40
Packing	- 40 pcs/carton



SUS304 Front Plate &
Striker Plate



SGML-181


Sliding Mortise Lock-Double Hook

Finishing	- SS
Packing	- 40 pcs/carton
Backset	- 40 / 60



SUS304 Front Plate &
Striker Plate


MORTISE LOCK



SGML-H1683

Single Mortise Hook Lock


Finishing	- SS
Backset	- 20
Packing	- 5 pcs/box, 50 pcs/carton



SGML-H1684

Single Mortise Hook Lock

Finishing	- SS
Backset	- 20
Packing	- 6 pcs/box, 36 pcs/carton



SGML-H1689


Single Mortise Hook Lock

Finishing	- SS
Backset	- 20
Packing	- 6 pcs/box, 36 pcs/box



SUS304 Front Plate & Striker Plate

MORTISE LOCK



SGML-H119

Hook Lock

Finishing - SS

Backset	A	B	Packing
50	50	62	50 pcs/carton




SUS304 Front Plate &
Striker Plate



SUS304
Hook Lock



SUS304
Lockcase



SGML-504500

Mortise Lock

Finishing - SS

Backset - 45

Packing - 40 pcs

MORTISE LOCK



FEATURES & BENEFITS


- Designed for openings that require multiple latching points within one locking mechanism.
- Ideal for tenant spaces or apartment buildings requiring additional or enhance security.
- Three-point pin bolt lockset for added security.
- Reversible latch for flexibility during installation.
- Forend and strike plate are SUS304.

SGML-FBMP8550/00/SS


SGML-FBMP8560/00/SS

3 Points Four Bolts Multi Point Lock

Finishing	- SS
Backset	- 50 / 60
Function	- Entrance
Packing	- 10 pcs/carton




EURO PROFILE CYLINDER



SGEP-D Double Key Profile Cylinder

Material - Brass

Packing - 10 pcs/box, 60 pcs/carton




Code	L	A	B
SGEP-D2525/SN	50	25	25
SGEP-D3030/SN	60	30	30
SGEP-D3030/SN	60	30	30
SGEP-D3535/SN	70	35	35
SGEP-D3535/SN/ZP	70	35	35
SGEP-D3535/SN/ZP/5H	70	35	35
SGEP-D4040	80	40	40

SGEP-S Thumbturn & Key Profile Cylinder


Material - Brass

Packing - 10 pcs/box, 60 pcs/box



Code	L	A	B
SGEP-S3030/SN	60	30	30
SGEP-S3030/SN/ZP	60	30	30
SGEP-S3535/SN	70	35	35
SGEP-S3535/SN/ZP/5H	70	35	35
SGEP-S3535/SN/ZP/6H	70	35	35
SGEP-S4040/SN 80mm	80	40	40
SGEP-S4545/SN 90mm	90	45	45
SGEP-S6262/SN 125mm	125	62	62


EURO PROFILE CYLINDER



SGEP-OT1035/SN 45mm

One sided thumbturn Profile Cylinder



Material	- Brass
Finishing	- SN
Function	- Half Cylinder with Thumbturn
Packing	- 10 pcs/box, 60 pcs/carton



SGEP-OK1035/SN 45mm

One sided key Profile Cylinder


Material	- Brass
Finishing	- SN
Function	- Half Cylinder with Key
Packing	- 10 pcs/box, 60 pcs/carton



SGEP-P3535/SN 70mm

Thumbturn & Emergency Slot Profile Cylinder

Material	- Brass
Finishing	- SN
Function	- 70mm Thumbturn & Emergency Slot Premier
Packing	- 10 pcs/box, 60 pcs/carton



SGDB-IB004

Material	- Stainless Steel SUS304
Finishing	- SS
Function	- Thumbturn with E-slok
Packing	- 100 pcs/box

GRIPSET

SPECIFICATIONS


- Full Stainless Steel SUS304 Mortise
- Stainless Steel SUS304 2.5mm thickness Forend plate (Square)
- Stainless Steel SUS304 1mm thickness Striker plate (Square)
- Stainless Steel SUS304 1 x Latch bolt
- Stainless Steel SUS304 1 x Square Deadbolt
- Stainless Steel 1.2mm Lockcase
- Stainless Steel SUS304 8mm x 8mm Follower
- Solid Brass Cylinder
- Full Solid Stainless Steel SUS304 Handle

FEATURES


- 60mm Backset of door
- 80mm Center distance of lock
- Extra Double Security Lock
- 1 Turn Deadbolt
- Reversible Latch Bolt
- Double Handle



Exploded View




GRIPSET - MORTISE GRIPSET



SGMH-6080/5008/54

Material	- Stainless Steel SUS304
Finishing	- SSSP
Backset	- 60
Door Thickness	- 36 - 52
Packing	- 4 sets/carton



SGMH-6080/4008/54

Material	- Stainless Steel SUS304
Finishing	- SSSP
Backset	- 60
Door Thickness	- 36 - 52
Packing	- 6 sets/carton

SPECIFICATIONS


- Chrome Plated Steel 1.0mm thickness x 2 Forend plate (Square)
- Chrome Plated Steel 1.0mm thickness x 2 Striker plate (Square)
- Chrome Plated Zinc Diecast Curve Design Latch bolt
- Chrome Plated Zinc Diecast Deadbolt with Hardened Steel Pin
- Solid Brass Cylinder
- Zinc Diecast Double Handle


FEATURES

- 60 - 70mm Adjustable Backset of door
- 1 Turn Deadbolt
- Applied To The Left Or Right Open Door
- Easy to Install




Exploded View





**SGTH-160**


Material	- Zinc Diecast
Finishing	- SN / AC
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 32 - 45
Packing	- 6 sets/carton

**SGTH-180**


Material	- Zinc Diecast
Finishing	- SN / AC
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 32 - 45
Packing	- 6 sets/carton

**SGTH-200S**



Material	- Zinc Diecast
Finishing	- AC
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 32 - 45
Packing	- 12 sets/carton

**SGTH-260**

Material	- Zinc Diecast
Finishing	- AB / AC
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 32 - 45
Packing	- 6 sets/carton


**SGTH-280**

Material	- Zinc Diecast
Finishing	- AC
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 32 - 45
Packing	- 12 sets/carton

**SGTH-320**


Material	- Zinc Diecast
Finishing	- AB / AC
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 32 - 45
Packing	- 6 sets/carton

GRIPSET




SGTH-380

Material	- Zinc Diecast
Finishing	- AC / SN
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 32 - 45
Packing	- 6 sets/carton, 12 sets/carton




SGTH-500

Material	- Zinc Diecast
Finishing	- AC / SN
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 35 - 45
Packing	- 6 sets/carton




SGTH-70750


Material	- Zinc Diecast
Finishing	- AC / SN
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 35 - 45
Packing	- 6 sets/carton

**SGTH-8031**


Material	- Zinc Diecast
Finishing	- AC
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 32 - 45
Packing	- 6 sets/carton

**SGTH-8083**

Material	- Zinc Diecast
Finishing	- SN
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 32-45
Packing	- 6 sets/carton

**SGTH-8093**

Material	- Zinc Diecast
Finishing	- AB / AC
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 32 - 45
Packing	- 6 sets/carton

**SGTH-8311**

Material - Zinc Diecast

Finishing - SN

Backset - 60 - 70 (Adjustable)

Door Thickness - 25 - 45

Packing - 6 sets/carton

DEADBOLT LOCK




SPECIFICATIONS

- Chrome Plated Steel 1.0mm thickness Forend pate (Square)
- Chrome Plated Steel 1.0mm thickness Striker plate (Square)
- Chrome Plated Zinc Diecast Deadbolt with Hardened Steel Pin
- Solid Brass Cylinder


FEATURES

- 60 - 70mm Adjustable Backset of door
- 1 Turn Deadbolt
- Applied To The Left Or Right Open Door
- Easy to Install

Exploded View



DEADBOLT LOCK




SGDB-D262

Deadbolt

Material	- Stainless Steel SUS304
Backset	- 60 - 70
Door Thickness	- 32 - 47
Packing	- 6 sets/box, 24 sets/carton

Code	Function	Finishing
SGDB-D262	Double Cylinder	SS
SGDB-D292	Double Cylinder	AC





SGDB-D264 Deadbolt

Deadbolt

Function	- One Sided Thumbturn
Backset	- 60 - 70
Door Thickness	- 32 - 47
Packing	- 6 sets/box, 24 sets/carton

Code	Material	Finishing
SGDB-D264	Stainless Steel SUS304	SS
SGDB-D294	Brass	AC



SGDB-D291 Deadbolt


Deadbolt

Material	- Brass
Backset	- 60 - 70
Door Thickness	- 32 - 47
Packing	- 6 sets/box, 24 sets/carton

Code	Function	Finishing
SGDB-D261	Thumbturn & Key	SS
SGDB-D291	Thumbturn & Key	AC



DEADBOLT LOCK



SGDB-K102

Jimmy Proof Lock

Material	- Zinc Diecast
Function	- Deadlock
Backset	- 80
Door Thickness	- 32 - 45
Finishing	AB/SN
Packing	- 6 sets/box, 24 sets/carton

TUBULAR LEVER




SPECIFICATIONS

- Chrome Plated Steel 1.0mm thickness Forend pate (Square)
- Chrome Plated Steel 1.0mm thickness Striker plate (Square)
- Chrome Plated Zinc Diecast Curve Design Latch Bolt
- Solid Brass Cylinder and Cylinder Cover




FEATURES


- 60 - 70mm Adjustable Backset of door
- 1 Turn to Lock
- Applied To The Left Or Right Open Door
- Easy to Install

Exploded View



TUBULAR LEVER

Function Description	Illustration
Entrance Push button locking. Pushing button on inside to lock outside knob until unlocked by key or by turning inside knob.	
Privacy Push button locking. Pushing on inside to lock outside knob. Turning inside knob or closing door releases push button. Emergency release in outside knob with flat narrow tool.	
Passage Latch bolt by knobs at all times. Always unlocked.	



SGTL-6313

Concealed Fixing

Material	- Zinc Diecast
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 32 - 47
Finishing	- Grey
Function	- Entrance
Packing	- 5 sets/box, 20 sets/carton



SGTL-6314

Concealed Fixing

Material	- Zinc Diecast
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 32 - 47
Packing	- 5 sets/box, 20 sets/carton
Finishing	- SN/GREY
Function	- Entrance, Privacy

TUBULAR LEVER



SGTL-6317

Concealed Fixing

Material	- Zinc Diecast
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 32 - 47
Finishing	- SN/Grey
Function	- Entrance/Privacy
Packing	- 5 sets/box, 20 sets/carton



SGTL-6318

Concealed Fixing


Material	- Zinc Diecast
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 32 - 47
Finishing	- SN/Grey
Function	- Entrance/Privacy
Packing	- 5 sets/box, 20 sets/carton



SGTL-6322


Material	- Zinc Diecast
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 32 - 47
Finishing	- SN
Function	- Entrance/Privacy
Packing	- 5 sets/box, 20 sets/carton

TUBULAR LEVER




SGTL-8833

Material	- Zinc Diecast
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 35 - 47
Finishing	SN
Function	Entrance/ Privacy
Packing	- 5 sets/box, 20 sets/carton



SGTL-6502

Material	- Zinc Diecast
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 32 - 47
Finishing	SN
Function	Entrance/ Privacy
Packing	- 5 sets/box, 20 sets/carton




SGTL-6502

Concealed Fixing

Material	- Zinc Diecast
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 32 - 47
Finishing	- AC
Function	- Entrance
Packing	- 5 sets/box, 20 sets/carton


TUBULAR LEVER



SGTL-6509

Concealed Screw


Material	- Zinc Diecast
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 32 - 47
Finishing	SN
Function	Entrance/ Privacy
Packing	- 5 sets/box, 20 sets/carton



SGTL-6511


Material	- Zinc Diecast
Finishing	- SN
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 32 - 47
Function	- Entrance/ Privacy
Packing	- 5 sets/box, 20 sets/carton

TUBULAR LEVER




SGTL-8809

Material	- Zinc Diecast
Finishing	- SN
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 35 - 47
Function	Entrance/ Privacy
Packing	- 5 sets/box, 20 sets/carton



SGTL-8811

Material	- Zinc Diecast
Finishing	- SN
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 32 - 47
Function	- Entrance/ Privacy
Packing	- 5 sets/box, 20 sets/carton



SGTL-1067

Material	- Zinc Diecast
Finishing	- SN
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 35 - 47
Function	- Entrance/ Privacy
Packing	- 5 sets/box, 20 sets/carton

TUBULAR LEVER



SGTL-8600

Tubular Lever

Material	- Zinc Diecast
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 32 - 47
Packing	- 6 sets/box, 24 sets/carton

Code	Finishing	Function
SGTL-8600	SN	Entrance
SGTL-8610	SN	Privacy
SGTL-8630	SN	Passage
SGTL-8900	AC	Entrance



SGTL-527

Tubular Knobset

Material	- Stainless Steel SUS304 / Brass
Backset	- 60 - 70 (Adjustable)
Door Thickness	- 32 - 45
Finishing	SS / AC
Function	Entrance / Privacy
Packing	- 6 sets/box, 24 sets/carton

TUBULAR LEVER - TUBULAR LEVER ON PLATE



SPECIFICATIONS


- Chrome Plated Steel 1.0mm thickness Forend plate (Square)
- Chrome Plated Steel 1.0mm thickness Striker plate (Square)
- Chrome Plated Zinc Diecast Trigeminal Latch bolt
- Chrome Plated Zinc Diecast Back Plate
- Solid Brass Cylinder

FEATURES


- Replaceable For Cylindrical & Tubular Lock
- 60mm Adjustable Backset of door
- 1 Turn to Lock
- Applied To The Left Or Right Open Door
- Easy to Install

Available for : Internal Door

Exploded View




TUBULAR LEVER - TUBULAR LEVER ON PLATE




SGTLP-0910

Material	- Zinc Diecast
Finishing	- DAB / AC
Function	- Entrance
Backset	- 60
Door Thickness	- 32 - 45
Packing	- 12 sets/carton



SGTLP-0915

Material	- Zinc Alloy
Finishing	- DAB
Function	- Entrance
Backset	- 60
Door Thickness	- 34 - 47
Packing	- 12 sets/carton



SGTLP-0913

Material	- Zinc Alloy
Finishing	- SSSP
Function	- Entrance
Backset	- 60
Door Thickness	- 34 - 47
Packing	- 12 sets/carton

CYLINDRICAL LOCK




SPECIFICATIONS

- Chrome Plated Steel 1.0mm thickness Forend Plate (Square)
- Chrome Plated Steel 1.0mm thickness Striker Plate (Square)
- Chrome Plated Zinc Diecast Curve Design Latch Bolt
- Solid Brass Cylinder






FEATURES

- 60mm or 70mm Backset of Door
- Applied To The Left Or Right Open Door
- Easy to Install

Exploded View



CYLINDRICAL LOCK

Function	Function Description	Illustration
Entrance	Push-button locking on inside to lock outside knob.	
	Outside knob retracts latch bolt, unless locked.	
	Outside cylinder retracts latch bolt when outside knob is locked.	
	Inside knob always retracts latch bolt.	
	Close door does not unlock outside knob.	
Privacy	Push-button locking on inside to lock outside knob.	
	Outside knob retracts latchbolt, unless locked.	
	Emergency release in outside knob with flat narrow tool.	
	Inside knob always retracts latch bolt.	
	Turning inside knob or close door releases button.	
Passage	Inside and outside knob always retracts latch bolt.	
Storeroom	Outside knob rigid at all times.	
	Outside cylinder retracts latch bolt.	
	Inside knob always retracts latch bolt.	
	Close door does not unlock outside knob.	
Patio	Push-button locking on inside to lock outside knob.	
	Outside knob retracts latch bolt, unless locked.	
	Inside knob always retracts latch bolt.	
	Turning inside knob or close door releases button.	
Communicating without key	Blank rose outside.	
	Inside knob always retracts latch bolt.	
Communicating with key	Blank rose outside.	
	Lock and unlock by cylinder inside only.	
	Inside knob retracts latch bolt, unless locked.	

* Backset 70mm available upon request



SGCD-9600

Material - Stainless Steel SUS304 / Brass

Backset - 60

Door Thickness - 32 - 45

Packing - 6 sets/box, 24 sets/carton

Code	Finishing	Function
------	-----------	----------

SGCD-9600	SS	Entrance
-----------	----	----------

SGCD-9610	SS	Privacy
-----------	----	---------


SGCD-9630	SS	Passage
-----------	----	---------

SGCD-9650	SS	Storeroom
-----------	----	-----------

SGCD-9900	AC	Entrance
-----------	----	----------


SGCD-9910	AC	Privacy
-----------	----	---------

CYLINDRICAL LOCK




SGCD-3100

Material	- Wooden Knob - Brass
Finishing	- AC
Function	- Entrance
Backset	- 60
Door Thickness	- 32 - 45
Packing	- 6 sets/box, 24 sets/carton



SGCD-8100


Material	- Wooden Knob - Brass
Finishing	- AC
Function	- Entrance
Backset	- 60
Door Thickness	- 32 - 45
Packing	- 6 sets/box, 24 sets/carton



SGCD-36200

Material	- Stainless Steel SUS304
Finishing	- SSSP
Function	- Entrance
Backset	- 60
Door Thickness	- 32 - 45
Packing	- 6 sets/box, 24 sets/carton

CYLINDRICAL LOCK



SGCD-37300

Material	- Brass
Finishing	- SBPB
Function	- Entrance
Backset	- 60
Door Thickness	- 32 - 45
Packing	- 6 sets/box, 24 sets/carton



SGCD-1000

Material	- Stainless Steel SUS304
Finishing	- SSSP
Function	- Entrance
Backset	- 60
Door Thickness	- 32 - 47
Packing	- 6 sets/box, 24 sets/carton



SGCD-3600

Material	- Stainless Steel SUS304
Finishing	- SS
Backset	- 60 / 70
Door Thickness	- 32 - 47
Packing	- 30 sets/carton



Code	Function
SGCD-3600	Entrance
SGCD-3610	Privacy
SGCD-3630	Passage
SGCD-3650	Storeroom

**SGCD-3000**


Material	- Stainless Steel SUS304
Finishing	- SS
Backset	- 60 / 70
Door Thickness	- 32 - 45
Packing	- 30 sets/carton

Code	Function
SGCD-3000	Entrance
SGCD-3010	Privacy
SGCD-3020	Patio
SGCD-3030	Passage
SGCD-3050	Storeroom
SGCD-3090	Communication w/key

SGCD-V3000


Material	- Stainless Steel SUS304
Backset	- 60
Door Thickness	- 32 - 45
Packing	- 6 sets/box, 24 sets/carton

Code	Finishing	Function
SGCD-V3000	AC / AB	Entrance
SGCD-V3010	AC	Privacy

**SGCD-4000**


Material	- Stainless Steel SUS304
Finishing	- SS
Backset	- 70
Door Thickness	- 32 - 50
Packing	- 6 sets/box, 24 sets/carton

Code	Function
SGCD-4010	Privacy




SGCD-4100

Material	- SUS304 Stainless Steel
Finishing	- SS
Function	- Entrance
Backset	- 60
Door Thickness	- 35 - 50
Packing	- 6 sets/box, 24 sets/carton



SGCD-4300



Material	- SUS304 Stainless Steel
Finishing	- SS
Function	- Entrance / Privacy
Backset	- 60
Door Thickness	- 35 - 47
Packing	- 6 sets/box, 24 sets/carton



SGCD-6100

Material	- Stainless Steel SUS304/ Brass
Finishing	- SS
Function	- Entrance
Backset	- 60
Door Thickness	- 32 - 47
Packing	- 6 sets/box, 24 sets/carton

CYLINDRICAL LOCK



SGCD-8001

Material	- Zinc Diecast
Finishing	- SN
Function	- Entrance
Backset	- 70
Door Thickness	- 32 - 50
Packing	- 24 sets/carton

PADLOCK



Sirim Certificate



HEAVY DUTY OPEN SHACKLE PADLOCK

Constructed from a solid block of through-hardened steel and designed for maximum ease of use Featuring a Stainless Steel Disklock Mechanism Re-keyable system this padlock range can be keyed into several existing St-Guchi suited PADLOCK.

St-Guchi Stainless Steel Disklock Mechanism High precision rekeyable system, Anti-pick Disklock Mechanism & Paracentric keyway helps protect against manipulation, Thousands of key differs, All corrosion free components, Solid brass cylinder retaining cover protects against pulling and drilling.

Following the tradition of St-Guchi quality products the PL Series padlock offers high security which complies with the relevant standards at an affordable price.





SGPL-100N

Code	KA	Packing
SGPL-100N/401		6 pcs/box, 48 pcs/carton
SGPL-100N/402	•	5 sets/box, 20 sets/carton
SGPL-100N/403	•	5 sets/box, 20 sets/carton
SGPL-100N/404	•	5 sets/box, 10 sets/carton
SGPL-100N/405	•	5 sets/box, 10 sets/carton
SGPL-100N/406	•	5 sets/box, 10 sets/carton
SGPL-100N/501		6 pcs/box, 48 pcs/carton
SGPL-100N/502	•	5 sets/box, 20 sets/carton
SGPL-100N/503	•	5 sets/box, 20 sets/carton
SGPL-100N/504	•	5 sets/box, 10 sets/carton
SGPL-100N/505	•	5 sets/box, 10 sets/carton
SGPL-100N/506	•	5 sets/box, 10 sets/carton




SGPL-300

Code	KA	Packing
SGPL-300/50		6 pcs/box, 48 pcs/carton
SGPL-300/502	•	5 sets/carton, 20 sets/carton
SGPL-300/503	•	5 sets/carton, 20 sets/carton
SGPL-300/504	•	5 sets/carton, 10 sets/carton
SGPL-300/505	•	5 sets/carton, 10 sets/carton
SGPL-300/60		6 pcs/box, 48 pcs/carton
SGPL-300/602	•	5 sets/carton, 20 sets/carton
SGPL-300/603	•	5 sets/carton, 20 sets/carton
SGPL-300/604	•	5 sets/carton, 10 sets/carton
SGPL-300/605	•	5 sets/carton, 10 sets/carton



Size	A	B	C	D	E	F	G
50	50.5	50.5	21	8	21.5	20.5	17.5
60	62	52	21	10	26	20.5	19.5




SGPL-500N

Code	KA	Packing
SGPL-500N/501		6 pcs/box, 48 pcs/carton
SGPL-500N/502	•	5 sets/box, 20 sets/carton
SGPL-500N/503	•	5 sets/box, 20 sets/carton
SGPL-500N/504	•	5 sets/box, 10 sets/carton
SGPL-500N/505	•	5 sets/box, 10 sets/carton




SGPL-500L

Code	KA	Packing
SGPL-500L/501		6 pcs/box, 48 pcs/carton



Size	A	B	C	D	E	F
50L	50	40	20	10	23	61


PADLOCK



SGPL-600

Code	KA	Packing
SGPL-600/501		6pcs/box, 48pcs/carton
SGPL-600/502	•	5sets/box, 20sets/carton
SGPL-600/503	•	5sets/box, 20sets/carton
SGPL-600/504	•	5sets/box, 20sets/carton
SGPL-600/505	•	5sets/box, 20sets/carton


Size	A	B	C	D	E	F
50	50	65	20.5	9.8	23	31



SIRIM
CERTIFIED TO BS EN 12320:2012
CERTIFICATION NO: PC003187



Re-changeable Core


**SGPL-350/501**

HD Padlock

Code	Size	Packing
SGPL-350/501	50	10 pcs/box, 40 pcs/carton


* All the measurements are in millimeter (mm)

* Dimensional data not binding. We reserve the right to alter specifications without notice.





SGPL-880

Code	Material	KA	Packing
SGPL-880/501	Brass		10 pcs/box, 40 pcs/carton
SGPL-880/502	Brass	•	10 sets/carton




SGPL-81

Code	KA	Packing
SGPL-81/401		10 pcs/box, 40 pcs/carton
SGPL-81/402	•	10 sets/box, 40 sets/carton
SGPL-81/403	•	10 sets/box, 40 sets/carton
SGPL-81/404	•	10 sets/box, 20 sets/carton
SGPL-81/405	•	10 sets/box, 20 sets/carton
SGPL-81/501		10 pcs/box, 40 pcs/carton
SGPL-81/502	•	10 sets/box, 40 sets/carton
SGPL-81/503	•	10 sets/box, 40 sets/carton
SGPL-81/504	•	10 sets/box
SGPL-81/505	•	10 sets/box



Size	A	B	C	D	E	F
40	40	32.5	60	6.3	19.7	14.5
50	50	38	75	8	27	18


LUGGAGE LOCK



SGPL-L313

3 Digits Combination Lock


Material	- Brass
Finishing	- -
Packing	- 12 pcs/box, 120 pcs/carton



SGPL-L314

4 Digits Combination Lock

Material	- Brass
Finishing	- -
Packing	- 12 pcs/box, 120 pcs/carton



SGPL-L1780

Luggage Padlock

Material	- Zinc Diecast
Finishing	- Black
Packing	- 10 pcs/box, 100 pcs/carton






TRAVELSENTRY
lock. protect. relax.

INTRODUCING TRAVEL SENTRY


Travel Sentry is the new travel industry baggage lock standard developed to enable passengers to once again lock their checked baggage. Travel Sentry allows travellers the freedom to protect their belongings while not interfering with the need for airport security screeners to open bags for inspection.

The development and implementation of Travel Sentry was made possible through unprecedented cooperation between luggage, lock and travel accessory manufacturers and the U.S. Government's Transportation Security Administration (TSA).



SGPL-TSA1898

Material	- Zinc Alloy
Finishing	- Pearl Blue
Packing	- 12 pcs/box, 96 pcs/carton




SGPL-TSA1899

Material	- Zinc Alloy
Finishing	- Silver
Packing	- 12 pcs/box, 96 pcs/carton




90

DOOR HINGE



SGDH-743020-SS 4" x 3" x 2mm


Material	- Stainless Steel SUS304
Finishing	- SS
Door Weight Maximum	- 40kg
Door Width Maximum	- 850mm
Size (mm)	- 102 x 76 x 2mm
BS EN 1935:2002	- Tested By Sirim
Pass Durability Test	- 200,000 Cycles Test
Corrosion Resistance	- 240 Hours
Packing	- 12 prs/box, 72 pairs/ carton



SGDH-753525-SS 5" x 3.5" x 2.5mm


Material	- Stainless Steel SUS304
Finishing	- SS
Door Weight Maximum	- 80kg
Door Width Maximum	- 1100mm
Size (mm)	- 127 x 89 x 2.5mm
BS EN 1935:2002	- Tested By Sirim
Pass Durability Test	- 200,000 Cycles Test
Corrosion Resistance	- 240 Hours
Packing	- 25 pairs/carton

DOOR HINGE




SGDH-743020-SS 2BB 4" x 3" x 2mm

Material	- Stainless Steel SUS304
Finishing	- SS
Door Weight Maximum	- 60kg
Door Width Maximum	- 950mm
Size (mm)	- 102 x 76 x 2mm
BS EN 1935:2002	- Tested By Sirim
Pass Durability Test	- 200,000 Cycles Test
Corrosion Resistance	- 240 Hours
Ball Bearing	- 2 Ball Bearing
Packing	- 40 pairs/carton




SGDH-753525-SS 2BB 5" x 3.5" x 2.5mm

Material	- Stainless Steel SUS304
Finishing	- SS
Door Weight Maximum	- 100kg
Door Width Maximum	- 1250mm
Size (mm)	- 127 x 89 x 2.5mm
BS EN 1935:2002	- Tested By Sirim
Pass Durability Test	- 200,000 Cycles Test
Corrosion Resistance	- 240 Hours
Ball Bearing	- 2 Ball Bearing
Packing	- 25 pairs/carton




SGDH-743025 4BB 4" x 3" x 2.5mm

Material	- Stainless Steel SUS304
Finishing	-
Door Weight maximum	- 60kg
Door Width maximum	- 950mm
Size (mm)	- 102 x 76 x 2.5mm
BS EN 1935:2002	- Tested By Sirim
Pass Durability Test	- 200,000 Cycles Test
Corrosion Resistance	- 240 Hours
Ball Bearing	- 4 Ball Bearing
Finishing	- SS / AB
Packing	- 3 pcs/pack, 20 pack/carton



SGDH-753030 4BB 5" x 3" x 3mm


Material	- Stainless Steel SUS304
Finishing	- SS / AB / AC
Door Weight maximum	- 100kg
Door Width maximum	- 1250mm
Size (mm)	- 127 x 76 x 3mm
BS EN 1935:2002	- Tested By Sirim
Pass Durability Test	- 200,000 Cycles Test
Corrosion Resistance	- 240 Hours
Ball Bearing	- 4 Ball Bearing
Packing	- 3 pcs/pack, 20 pack/carton



SGDH-764040-SS 4BB 6" x 4" x 4mm

Material	- Stainless Steel SUS304
Finishing	- SS
Door Weight maximum	- 120kg
Door Width maximum	- 1400mm
Size (mm)	- 152 x 102 x 4mm
BS EN 1935:2002	- Tested By Sirim
Pass Durability Test	- 200,000 Cycles Test
Corrosion Resistance	- 240 Hours
Ball Bearing	- 4 Ball Bearing
Packing	- 16 pairs/carton


DOOR HINGE



SGDH-743020-SS-B 4" x 3" x 2mm

Hinge (Metal & Aluminium Frame Use)

Material	- Stainless Steel SUS304
Finishing	- SS
Size (mm)	- 102 x 76 x 2mm
Packing	- 12 pairs/box, 72 pairs/carton




SGDH-834020-SS/L 4" x 3" x 2mm

SGDH-834020-SS/R 4" x 3" x 2mm

Lift-Off Rising Hinge (RH/LH)


Material	- Stainless Steel SUS304
Finishing	- SS
Size (mm)	- 102 x 76 x 2mm
Packing	- 40 pairs/carton



SGDH-943030-SS 2BB 4" x 3" x 3mm

Grease Free Hinge

Material	- Stainless Steel SUS304
Finishing	- SS
Door Weight Maximum	- 57kg
Door Width Maximum	- 914 mm
Size (mm)	- 102 x 76 x 3mm
Ball Bearing	- 2 Ball Bearing
Packing	- 5 pack/box, 20 pack/carton




SGDH-953530-SS 2BB 5" x 3.5" x 3mm

Grease Free Hinge

Material	- Stainless Steel SUS304
Finishing	- SS
Door Weight Maximum	- 57kg
Door Width Maximum	- 914 mm
Size (mm)	- 127 x 89 x 3mm
Ball Bearing	- 2 Ball Bearing
Packing	- 5 pack/box, 20 pack/carton

DOOR HINGE



SGDH-813020-SS 76 x 33 x 2.0mm

Flag Hinge


Material - Stainless Steel SUS304

Finishing - SS

Thickness - 2.0

Size - 3"

Packing - 50 pairs/carton



SGDH-814025-SS 102 x 35 x 2.5mm

Flag Hinge


Material - Stainless Steel SUS304

Finishing - SS

Thickness - 2.5

Size - 4"

Packing - 50 pairs/carton



SGDH-743020-SS 2BB 4" x 3" x 2.5mm

Bi-fold Hinge + Handle


Material - Stainless Steel SUS304

Finishing - SS

Thickness - 2.5

Packing - 50 pcs/carton

Size	A	B	C
4"	102	75	64



SGDH-853020-SS 3"

Double Action Spring Hinge


Material - Stainless Steel SUS304

Finishing - SS

Thickness - 2.0

Packing - 20 pairs/carton

Size	A	B
3"	77	40



SGDH-854020-SS 4"

Double Action Spring Hinge


Material - Stainless Steel SUS304

Finishing - SS

Thickness - 2.0

Packing - 20 pairs/carton

Size	A	B
4"	102	40



SGDH-855020-SS 5"

Double Action Spring Hinge

Material - Stainless Steel SUS304

Finishing - SS

Thickness - 2.0

Packing - 20 pairs/carton

Size	A	B
5"	127	40



SGDH-411

Action Spring Hinge


Material - Stainless Steel SUS304

Finishing - SS

Packing - 20 pairs/carton

Size	A	B	Thickness
4"	102	76	3

PANIC EXIT DEVICES




SGPD-7010 Lever Variant

Material	- Stainless Steel SUS304
Finishing	- SS
D.Thickness	- 40 - 50



SGPD-7003 Striker Plate

Material	- Stainless Steel SUS304
Finishing	- SS



SGPD-7301-550 / SGPD-7301-1050

Material - Stainless Steel SUS304

Finishing - SS

Size - 550 / 1050



SGPD-7306-550 / SGPD-7306-1050

Material - Stainless Steel SUS304

Finishing - SS

Size - 550 / 1050

Data and Features		SGPD 7301-550	SGPD 7301-1050	SGPD 7306-550	SGPD 7306-1050
Lock Point		1	1	2	2
Standard Doors (Single or Double Leaf)		●	●	●	●
Door Width	650mm < ≤ 1320mm	●	●	●	●
Door Height	≤ 2400mm	●	●	●	●
	≤ 3200mm	○	○	-	-
Max Door Weight (kg)		200	200	200	200
Non-Handed Design		●	●	●	●
Dogging Device		○	○	○	○
Security Anti-Thrust Latch		●	●	-	-
Fire and Smoke Check Doors		●	●	●	●
Trim Optional	SGPD-7010	○	○	○	○
Door Leaf Thickness Up to 50mm		●	●	●	●
Extended Handle Spindle and Bolts for Door Leaf Thickness 50 - 105mm		○	○	○	○
Approved to EN1125		●	●	●	●
Fire Rate EN1634		●	●	●	●
CE Mark for Building Products		●	●	●	●
Material	Stainless Steel 304	●	●	●	●
	Steel, Painting	○	○	○	○

● = Yes- = No ○ = Option

DOOR CONTROL



DOOR CONTROL


DOOR CLOSER



SPECIFICATIONS


- Opening and closing cycle controlled hydraulically
- Hydraulic fluid viscosity range of 0 - 100 degrees
- Full rack-and-pinion operation
- Covers: High impact, self-extinguishing
- Closer Body: R14 cast silicon Aluminum

Exploded View



DOOR CONTROL

DOOR CLOSER



SGDC-92SA

With Slide Arm

Material - Aluminum

Packing - 10 sets/carton



- Adjustable closing & Latching Speed, European style Designed Heavy Duty Closer, Commercial Use.
- Die casting Aluminum body, Slide Track Arm.
- Two Speed Valves on the front of door closer body, which hidden under of slide cover
- For single action doors Max 950mm

TECHNICAL INFORMATION & FUNCTION

Width of Door (mm) Max		950
Weight of Door (kg) Max		65
Delayed Action		NA
Backcheck Function		Optional
Max Open Angle		140°
Hold - Open		Degree Adjustable
Closing Speed Adjustment	Speed 1	Max Open Angle - 10°
	Speed 2	10° - 0°
Applicable Temperature		-30°C -60°C
Applicability		Left and Right Hand Door
Fire Door		NA
Dimension of Main Body	Length	206
	Overall Depth	55
	Height	40
Weight (kg)		2.1
Passed Durability Test		500,000 Cycles

DOOR CONTROL

DOOR CLOSER



SGDC-82

Material - Aluminum

Packing - 10 sets/carton


TECHNICAL INFORMATION & FUNCTION

Width of Door (mm) Max		1000
Weight of Door (kg) Max		65
Delayed Action		-
Backcheck Function		-
Max Open Angle		180°
Hold - Open		-
Closing Speed Adjustment	Speed 1	180° - 25°
	Speed 2	25° - 0°
Applicable Temperature		-25°C - 45°C
Applicability		Left or Right Open Door
Fire Door		-
Dimension of Main Body	Length	200
	Overall Depth	50.5
	Height	37
Weight (kg)		1.4
Passed Durability Test		300,000 Cycles

Arms Type	Optional		
Standard Arm	Hold Open Arm	Slide Arm with Hold Open	Parallel Arm Bracket
✓	✓	✓	-

DOOR CONTROL

DOOR CLOSER



SGDC-82SA

With 88 Slide Arm

Material - Aluminum


Packing - 10 sets/carton

TECHNICAL INFORMATION & FUNCTION

Width of Door (mm) Max		950
Weight of Door (kg) Max		60
Delayed Action		-
Backcheck Function		-
Max Open Angle		140°
Hold - Open		Degree Adjustable
Closing Speed Adjustment	Speed 1	180° - 15°
	Speed 2	15° - 0°
Applicable Temperature		-25°C - 45°C
Applicability		Left or Right Open Door
Fire Door		-
Dimension of Main Body	Length	200
	Overall Depth	50.5
	Height	37
Weight (kg)		1.4
Passed Durability Test		500,000 Cycles

DOOR CONTROL

DOOR CLOSER



SGDC-62

Material - Aluminum



Packing - 10 sets/carton

TECHNICAL INFORMATION & FUNCTION		EN2#	EN3#	EN4#
Width of Door (mm) Max		850	1000	1100
Weight of Door (kg) Max		40	60	80
Delayed Action		-	-	-
Backcheck Function		-	-	-
Max Open Angle		180°		130°
Hold - Open		NO		
Closing Speed Adjustment	Speed 1	180° - 10°		130° - 10°
	Speed 2	10° - 0°		
Applicable Temperature		-20°C - 45°C		
Applicability		Left or Right Open Door		
Fire Door		-		
Dimension of Main Body	Length	218		
	Overall Depth	52		
	Height	42.5		
Weight (kg)		0.785		
Passed Durability Test		500,000 Cycles		

Arms Type	Optional		
Standard Arm	Hold Open Arm	Slide Arm with Hold Open	Parallel Arm Bracket
✓	✓	✓	-

DOOR CONTROL


DOOR CLOSER



SGDC-72 H

Material - Aluminum

Packing - 10 sets/carton



TECHNICAL INFORMATION & FUNCTION

Width of Door (mm) Max		800
Weight of Door (kg) Max		45
Delayed Action		-
Backcheck Function		-
Max. Open Angle		180°
Hold - Open		✓
Closing Speed Adjustment	Speed 1	180° - 15°
	Speed 2	15° - 0°
Applicable Temperature		-30°C - 45°C
Applicability		Left or Right Open Door
Fire Door		-
Dimension of Main Body	Length	178
	Width	43
	Height	61
Weight (kg)		1.4 - 1.7
Passed Durability Test		300,000 Cycles


Arms Type	Optional	
Hold Open Arm	Slide Arm with Hold Open	Parallel Arm Bracket
✓	✓	-

DOOR CONTROL

DOOR CLOSER



**Fire Rated
(523BC)**



SGDC-51/ 52 / 523BC

Code	Material	Packing
SGDC-51	Aluminum	10 sets/carton
SGDC-51H	Aluminum	10 sets/carton
SGDC-52	Aluminum	10 sets/carton
SGDC-523BC	Aluminum	10 sets/carton

TECHNICAL INFORMATION & FUNCTION

Model		SGDC-51	SGDC-51H	SGDC-52	SGDC-523BC
Width of Door (mm) Max		800	800	900	900
Weight of Door (kg) Max		30	30	45	65
Delay Action		-	-	-	-
Backcheck Function		-	-	-	✓
Max Open Angle		180°	180°	180°	180°
Hold - Open		-	✓	-	-
Closing Speed Adjustment	Speed 1	180° - 15°	180° - 15°	180° - 15°	180° - 15°
	Speed 2	15°-0°	15°-0°	15°-0°	15°-0°
Applicable Temperature		-30 - 40	-30 - 40	-30 - 40	-30 - 40
Applicability		-	-	-	-
Fire Door		-	-	-	✓
Dimension of Main Body	Length	179	179	186	186
	Width	42	42	44.5	44.5
	Height	62.5	62.5	67	67
Weight (kg)		0.905	0.905	1.13	1.145
Passed Durability Test		500,000	500,000	500,000	500,000

Arms Type	
	Standard Arm
SGDC-51	✓
SGDC-51H	✓
SGDC-52	✓
SGDC-523BC	✓


Optional		
Hold Open Arm	Slide Arm with Hold Open	Parallel Arm Bracket
-	-	✓
-	-	✓
-	-	✓
-	-	✓

DOOR CONTROL

DOOR CLOSER




Fire Rated



SGDC-534BC / 535BC / 536BC



Code	Material	Packing
SGDC-534BC	Aluminum	10 sets/carton
SGDC-535BC	Aluminum	10 sets/carton
SGDC-536BC	Aluminum	10 sets/carton



TECHNICAL INFORMATION & FUNCTION


Model	SGDC-534	SGDC-535	SGDC-536
Width of Door (mm) Max	1100	1200	1500
Weight of Door (kg) Max	85	120	150
Delay Action	-	-	-
Backcheck Function	✓	✓	✓
Max Open Angle	180°	180°	180°
Hold Open	-	-	-
Closing Speed Adjustment	Speed 1	Speed 1	Speed 1
	Speed 2	Speed 2	Speed 2
Applicable Temperature	-30 - 40	-30 - 40	-30 - 40
Fire Door	✓	✓	✓
Dimension of Main Body	Length	Length	Length
	Overall Depth	Overall Depth	Overall Depth
	Height	Height	Height
Weight (kg)	1.425	1.51	1.56
Passed Durability Test	500,000	500,000	500,000
Spring Strength Adjustable	-	-	3 - 6

Arms Type	
Standard Arm	
SGDC-534BC	✓
SGDC-535BC	✓
SGDC-536BC	✓

Optional	
Hold Open Arm	
Slide Arm with Hold Open	
Parallel Arm Bracket	
-	✓
-	✓
-	✓

DOOR CONTROL

DOOR CLOSER



SGDC-9027

Backcheck & Delay Action

Material - Aluminum

Packing - 10 sets/carton


TECHNICAL INFORMATION & FUNCTION

Model		SGDC-9027
Width of Door (mm) Max		1500
Weight of Door (kg) Max		150
Delay Action		✓
Backcheck Function		✓
Max Open Angle		180°
Hold Open		-
Closing Speed Adjustment	Speed 1	180° - 15°
	Speed 2	15° - 0°
Applicable Temperature		-30 - 40
Fire Door		✓
Dimension of Main Body	Length	297
	Width	47
	Height	57
Weight (kg)		2.060
Passed Durability Test		500,000
Spring Strength Adjustable		7

Arms Type				
	Standard Arm	Hold Open Arm	Slide Arm with Hold Open	Parallel Arm Bracket
SGDC-9027	✓	-	-	-

DOOR CONTROL

DOOR CLOSER



SGDC-83

Concealed Door Closer

Material - Aluminum

Packing - 10 sets/carton

TECHNICAL INFORMATION & FUNCTION

Width of Door (mm) Max		1000
Weight of Door (kg) Max		50
Delay Action		-
Backcheck Function		-
Max Open Angle		105°
Hold - Open		Degree Adjustable
Closing Speed Adjustment	Speed 1	180° - 25°
	Speed 2	25° - 0°
Applicable Temperature		-25°C - 45°C
Applicability		Left or Right Open Door
Fire Door		-
Dimension of Main Body	Length	220
	Width	32
	Height	55
Passed Durability Test		300,000 Cycles
Weight (kg)		1.8

Arms Type

Standard Arm	Hold Open Arm	Slide Arm w/Hold Open	Parallel Arm Bracket
-	-	✓	-

DOOR CONTROL

DOOR CLOSER




SGDC-93

Overhead Concealed Door Closer

Material - Aluminum

Packing - 10 sets/carton




TECHNICAL INFORMATION & FUNCTION

Width of Door (mm) Max		1100
Weight of Door (kg) Max		80
Delay Action		-
Backcheck Function		-
Max Open Angle		120°
Hold - Open		Degree Adjustable
Closing Speed Adjustment	Speed 1	120° - 10°
	Speed 2	10° - 0°
Applicable Temperature		-15°C to +40°C
Applicability		Left or Right Open Door
Fire Door		-
Dimension of Main Body	Length	220
	Width	32
	Height	55
Weight (kg)		1.8
Passed Durability Test		500,000 Cycles

DOOR CONTROL



DOOR CLOSER



SGDC-88

Slide Arm


Application On	- D62, D72, D82
Function	- Hold Open Degree Adjustable
Material	- Aluminum
Packing	- 10 sets/carton



SGDC-555

Parallel Arm Bracket

Application On	- D51, D52, D523, D534, D535, D536
Material	- Steel



SGDC-556

Parallel Arm Bracket

Application On	- D62
Material	- Steel
Finishing	- Silver
Packing	- 50 pcs/carton




SGDC-678

D Arm Hold Open

Application On	- D62, D72, D82
Function	- Hold Open Degree Adjustable
Material	- Steel

DOOR CONTROL

DOOR COORDINATOR DEVICE



SGDC-01

Door Coordinator Device

Size - 88 x 280

Material - Aluminum

Finishing - SS


Packing - 40 pcs/carton



DOOR CONTROL

FLOOR SPRING

Location of Glass Door Accessories



SGWGL-SGFS 840 (Hold Open)

SGWGL-SGNHO 840 (Non Hold Open)

Floor Spring (100kg)



SGWGL-SGFS 750 (Hold Open)

SGWGL-SGNHO 750 (Non Hold Open)

Floor Spring (120kg)




Technical Info. & Function		SGWGL-SGFS 840 (Hold Open)	SGWGL-SGNHO 840 (Non Hold Open)	SGWGL-SGFS 750 (Hold Open)	SGWGL-SGNHO 750 (Non Hold Open)	SGWGL-SGFS 650 (Hold Open)
Closing Force (N•m)0°-4°		18 - 26	18 - 26	26 - 37	26 - 37	18 - 26
Width of Door (mm) Max		1000	1000	1200	1200	1000
Weight of Door (kg) Max		100	100	120	120	100
Max Open Angle		130°	130°	130°	130°	130°
Hold-open		105°, 90°	-	105°, 90°	-	105°, 90°
Closing Speed Adjustment	Speed 1	90° - 15°	90° - 15°	90° - 15°	90° - 15°	90° - 15°
	Speed 2	15° - 0°	15° - 0°	15° - 0°	15° - 0°	15° - 0°
Removable Spindle		Optional				
Applicable Temperature		-30°C - 15°C				
Applicability		Wooden, Glass & Aluminum Door etc. Left or Right Open, Single Side or Both Side Open				
Weight (kg)		5.2	5.2	5.3	5.3	5.2
Dimension of Cement Box (mm)	Length	305				
	Width	108				
	Height	40.5				
Passed Durability Test		500,000 Cycles				
Finishing		PSS				
Packing		4pcs/carton				

DOOR CONTROL

FLOOR SPRING

SGWGL-SGFS780


Floor Spring (150kg)



Technical Info. & Function			SGWGL-SGFS780
Closing Force (N•m) 0°-4°			EN4
Width of Door (mm) Max			1200
Weight of Door (kg) Max			150
Max Open Angle			130°
Hold-Open			105°, 90°
Closing Speed Adjustment	Speed 1	180° - 15°	
	Speed 2	15° - 0°	
Removable Spindle			Optional
Applicable Temperature			-30°C - 15°C
Applicability			Wooden, Glass & Aluminum Door etc. Left or Right Open, Single Side or Both Side Open
Weight (kg)			4.55
Dimension of Cement Box (mm)	Length	285	
	Width	82	
	Height	49.50	
Passed Durability Test			500,000 Cycles
Finishing			PSS
Packing			4pcs/carton

DOOR CONTROL

PATCH FITTING




SGWGL-SGPF100

Bottom Patch Fitting

Finishing - PSS

Packing - 20 pcs/carton




SGWGL-SGPF200

Top Patch Fitting

Finishing - PSS

Packing - 20 pcs/carton





SGWGL-SGPF300

Lock Camp C/W Double /CYL

Finishing - PSS

Packing - 20 pcs/ctn





SGWGL-SGPF1000

Patch Fitting Comprising

Finishing - PSS

Packing - 20 pcs/carton



SGWGL-SGPF1000-02


Patch Fitting Comprising

Finishing - PSS

Packing - 20 pcs/carton

DOOR CONTROL

PATCH FITTING ACCESSORIES



SGWGL-141

Pivot (15mm)

Material - Stainless Steel

Finishing - SS

Packing - 200 pcs/carton







Keep the locked angle in 15°



Keep the Holdopen angle in 90°




Max open angle in 115°



DOOR CONTROL

PATCH FITTING ACCESSORIES




SGWGL-PT110

Aluminum Accessories

Material - Zinc Alloy / Steel

Finishing - Mill Finishing

Packing - 25 sets/carton



SGWGL-PT300

Aluminum Accessories (150-300kg)

Material - Zinc Alloy / Steel

Finishing - Mill Finishing


Packing - 20 sets/carton



DOOR ACCESSORIES

DOOR ACCESSORIES


FLUSH PULL



SGFP-0070

Sliding Flush Pull


Material	- Zinc Diecast
Finishing	- SN
Door Thickness	- 30 - 50
Packing	- 10 sets/box, 20 sets/carton



SGFP-SL0080

Sliding Door Flush Pull With Lock

Material	- Zinc Diecast
Finishing	- SN / AB
Function	- Entrance
Backset	- 35
Door Thickness	- 32 - 45
Packing	- 20 sets/carton




SGFP-SL0082

Sliding Door Flush Pull With Lock

Material	- Zinc Diecast
Finishing	- SN
Function	- Privacy
Backset	- 35
Door Thickness	- 32 - 45
Packing	- 20 sets/carton

DOOR ACCESSORIES


FLUSH PULL



SGFP-0060

Sliding Flush Pull


Material	- Stainless Steel SUS304
Finishing	- Black
Packing	- 20 pcs/box , 100 pcs/carton



SGFP-0030

Oval Sliding Flush Pull


Material	- Stainless Steel SUS304
Finishing	- SS
Packing	- 10 prs/box, 60 pairs/carton



SGFP-0402

Square Flush Pull 4"x2"

Material	- Stainless Steel SUS304
Finishing	- SS
Packing	- 10 pcs/box, 200 pcs/carton




SGFP-SL0042

Sliding Flush Pull With Lock (Privacy)

Material	- Zinc Diecast
Finishing	- SN
Backset	- 45
Door Thickness	- 35 - 52
Packing	- 20 sets/carton

DOOR ACCESSORIES


FLUSH PULL



SGFP-002-D

Double Side Flush Pull Ring With Latch


Material	- Stainless Steel SUS304
Finishing	- SS
Backset	- 60
Packing	- 12 pcs/box, 72 pcs/carton



SGFP-002

Flush Pull Ring With Latch


Material	- Stainless Steel SUS304
Finishing	- SS
Backset	- 60
Packing	- 12 pcs/box, 72 pcs/carton



SGFP-C07

Flush Pull Ring

Material	- Stainless Steel SUS304
Finishing	- SS
Packing	- 10 pcs/box, 100 pcs/carton



SGFP-003B/90mm

Circle Flush Pull

Material	- Stainless Steel SUS304
Finishing	- SS
Packing	- 40 pcs/carton


DOOR ACCESSORIES

FLUSH BOLT



Flush Bolt Lever Style

Code	Size	Material	Finishing	Packing
SGDB-36606	6"	Stainless Steel SUS304	SS	10 pcs/box, 100 pcs/carton
SGDB-36608	8"	Stainless Steel SUS304	SS	10 pcs/box, 100 pcs/carton
SGDB-36610	10"	Stainless Steel SUS304	SS	10 pcs/box, 100 pcs/carton
SGDB-36612	12"	Stainless Steel SUS304	SS	10 pcs/box, 100 pcs/carton




Flush Bolt Box Type

Code	Size	Material	Finishing	Packing
SGDB-35606 SS/6"	6"	Stainless Steel SUS304	SS	10 pcs/box, 100 pcs/carton
SGDB-35608 SS/8"	8"	Stainless Steel SUS304	SS	10 pcs/box, 100 pcs/carton
SGDB-35612 SS/12"	12"	Stainless Steel SUS304	SS	10 pcs/box, 100 pcs/carton
SGDB-35618 SS/18"	18"	Stainless Steel SUS304	SS	10 pcs/box, 50 pcs/carton
SGDB-35624 SS/24"	24"	Stainless Steel SUS304	SS	10 pcs/box, 50 pcs/carton
SGDB-35640 SS/40"	40"	Stainless Steel SUS304	SS	10 pcs/box, 50 pcs/carton
SGDB-35806 AB/6"	6"	Stainless Steel SUS304	AB	10 pcs/box, 100 pcs/carton
SGDB-35908 AC/8"	8"	Stainless Steel SUS304	AC	10 pcs/box, 100 pcs/carton
SGDB-35912 AC/12"	12"	Stainless Steel SUS304	AC	10 pcs/box, 100 pcs/carton

DOOR ACCESSORIES

INDICATOR BOLT




SGDB-909L

Security Bolt

Material - Zinc Diecast

Finishing - CP

Packing - 50 pcs/box, 100 pcs/carton




SGDB-012

Toilet Indicator Bolt

Material - Stainless Steel SUS304

Finishing - SS

Packing - 100 pcs/carton




SGDB-013

Toilet Indicator Bolt

Material - Stainless Steel SUS304

Finishing - SS

Packing - 100 pcs/carton



SGDB-014


Toilet Indicator Bolt

Material - Stainless Steel SUS304

Finishing - SS

D.thickness - 12 - 20

Packing - 100 sets/carton



SGDB-015

Toilet Indicator Bolt

Material - Aluminum Alloy

Finishing - Silver

D.Thickness - 32 - 47

Packing - 1 set/box, 20 sets/carton

DOOR ACCESSORIES

DOOR BOLT





ABB800 Aluminum Barrel Bolt

Code	Size	Material	Finishing	Packing
SGDB-31604 SN/4"	4"	Aluminum	SN	10 Doz/carton
SGDB-31606 SN/6"	6"	Aluminum	SN	10 Doz/carton
SGDB-31612 SN/12"	12"	Aluminum	SN	6 Doz/carton
SGDB-31618 SN/18"	18"	Aluminum	SN	3 Doz/carton
SGDB-31624 SN/24"	24"	Aluminum	SN	3 Doz/carton
SGDB-31804 AB/4"	4"	Aluminum	AB	10 Doz/carton
SGDB-31806 AB/6"	6"	Aluminum	AB	10 Doz/carton
SGDB-31812 AB/12"	12"	Aluminum	AB	6 Doz/carton
SGDB-31904 AC/4"	4"	Aluminum	AC	10 Doz/carton
SGDB-31906 AC/6"	6"	Aluminum	AC	10 Doz/carton
SGDB-31908 AC/8"	8"	Aluminum	AC	6 Doz/carton
SGDB-31912 AC/12"	12"	Aluminum	AC	6 Doz/carton
SGDB-31924 AC/24"	24"	Aluminum	AC	3 Doz/carton




SGDB-8606

6" Barrel Bolt

Material - Stainless Steel SUS304

Finishing - SS

Packing - 12 pcs/box, 240 pcs/carton



SGDB-600

Auto Flush Bolt


Material - Stainless Steel SUS304

Finishing - SS

Packing - 50 pairs/carton

DOOR ACCESSORIES

DOOR BOLT



SGDB-7602


Square Bolt

Material - SUS 201

Finishing - SS

Size - 2"

Packing - 12 pcs/box, 360 pcs/carton




SGDB-Q2

Door Bolt (Big)

Material - Stainless Steel SUS304

Finishing - SS

Packing - 12 pcs/box, 24 pcs/carton





SGDB-Q1A

Door Bolt (Small)

Material - Stainless Steel SUS304

Finishing - SS

Packing - 12 pcs/box, 24 pcs/carton



SGDB-8604

4" Barrel Bolt


Material - Stainless Steel SUS304

Finishing - SS

Packing - 12 pcs/box, 360 pcs/carton

DOOR ACCESSORIES


DOOR BOLT & DOOR VIEWER



SGDB-SB505

Swing Bolt


Material	- Stainless Steel SUS304
Finishing	- SS
Packing	- 20 pcs/box, 120 pcs/carton



SGAC-DV3776

Door Viewer 180°

Material	- Brass
Finishing	- SN
Packing	- 20 pcs/box, 120 pcs/carton




20mm Transparent Bush

Material	- NA
Finishing	- NA
Packing	- 100 pcs/box, 1000 pcs/carton

DOOR ACCESSORIES

DOOR STOPPER




SGDS-006

Door Stopper

Material - Brass

Finishing - SS

Packing - 15 pcs/box, 90 pcs/carton




SGDS-022

Wall Door Stopper

Material - Stainless Steel SUS304

Finishing - SS

Packing - 12 pcs/box, 72 pcs/carton




SGDS-023

Wall Door Stopper

Material - Stainless Steel SUS304

Finishing - SS

Packing - 12 pcs/box, 72 pcs/carton



SGDS-024

Hat & Coat Hook Door Stopper


Material - Stainless Steel SUS304

Finishing - SS

Packing - 12 pcs/box, 72 pcs/carton

DOOR ACCESSORIES


DOOR STOPPER



SGDS-04

Door Stopper (Dome)



Material	Finishing	Packing
Zinc Diecast	SN	10 pcs/box, 100 pcs/carton



SGDS-J7


Wall Mount Door Stopper (R/L)

Material	- Stainless Steel SUS304
Finishing	- SS
Packing	- 24 pcs/box, 90 pcs/carton



DOOR ACCESSORIES

DOOR HOLDER




SGDS-03

Heavy Duty Door Holder

Material - Zinc Diecast

Finishing - AC / SN

Packing - 12 pcs/box, 72 pcs/carton




SGDS-06

Heavy Duty Door Holder

Material - Stainless Steel SUS304

Finishing - SS

Packing - 12 pcs/box, 72 pcs/carton




SGDS-07

Heavy Duty Door Holder

Material - Stainless Steel SUS304

Finishing - SS

Packing - 36 pcs/box, 72 pcs/carton




SGDS-020

Door Holder

Material - Zinc Diecast

Finishing - SN

Packing - 20 pcs/box, 120 pcs/carton



SGDS-028

Dome Type Magnetic Door Holder


Material - Zinc Diecast

Finishing - SN

Packing - 10 pcs/box, 100 pcs/carton

DOOR ACCESSORIES

DUST SOCKET



SGDS-13


Dust Socket

Material - Stainless Steel SUS304

Finishing - SS

Dimension - 13mm

Packing - 20 pcs/box, 120 pcs/carton



SGDS-106


Dust Socket

Material - Brass

Finishing - SS

Dimension - 10mm

Packing - 50 pcs/box, 300 pcs/carton



SGDS-126/SS


Dust Socket

Material - Brass / Stainless Steel SUS304

Finishing - SS

Dimension - 12mm

Packing - 40 pcs/box, 240 pcs/carton



SGDS-129/AC

Dust Socket

Material - Brass / Stainless Steel SUS304


Finishing - AC

Dimension - 12mm

Packing - 40 pcs/box, 240 pcs/carton

DOOR ACCESSORIES

DOOR CHAIN




SGDG-006

Door Chain

Material - Steel

Finishing - AC / SN

Packing - 20 pcs/box, 120 pcs/carton




SGDG-015

Door Chain

Material - Stainless Steel SUS304

Finishing - SN

Packing - 10 pcs/box, 60 pcs/carton




SGDG-005

Door Chain

Material - Stainless Steel SUS304

Finishing - AC

Packing - 10 pcs/box, 60 pcs/carton




SGDG-216

Door Chain & Bolt

Material - Steel

Finishing - SN

Packing - 10 pcs/box, 60 pcs/carton



SGDG-219

Door Chain & Bolt


Material - Steel

Finishing - AC

Packing - 10 pcs/box, 60 pcs/carton

DOOR ACCESSORIES

DOOR GUARD





SGDG-002

Door Guard Ball Bearing

Material - Zinc Diecast

Finishing - AC / SN

Packing - 12 pcs/box, 72 pcs/carton




SGDG-106

Door Guard Ball Bearing

Material - Zinc Diecast

Finishing - SN

Packing - 12 pcs/box, 72 pcs/carton




SGDG-108

Door Guard Ball Bearing

Material - Zinc Diecast

Finishing - SN

Packing - 12 pcs/box, 72 pcs/carton



SGDG-109

Door Guard


Material - Aluminum

Finishing - SC

Packing - 12 pcs/box, 72 pcs/carton


Installation Guide:

1




Recommended height position is 1200mm above the floor.

2




Marked, drill a hole and screw & please do not tighten the screw first

3



Adjust to a suitable position


4



Tighten the screw once the position is confirmed

DOOR CONTROL

REBATED PART




NJ402F

Rebated Part

Material - Steel

Finishing - White

Packing - 100 pcs/carton




SGRP-706

Hollow Rebated Part

Material - Stainless Steel SUS304

Finishing - SN

Packing - 30 pcs/box, 180 pairs/carton



SGRP - Striker Plate Mortise 6085


Rebated Part

For Double Leaf

Material - Stainless Steel SUS304

Finishing - SS

Packing - 200 pcs/carton



SGRP-3

Hollow Rebated Part Mortise Lock

Material - Stainless Steel SUS304


Finishing - SS

Packing - 20 pcs/box, 200 pcs/carton

Code	A	B	C
SGRP-3/152mm	152	22	9.3
SGRP-3/164mm	164	23	10
SGRP-3/169mm	169	23	9.3
SGRP-3/205mm	205	22.5	10
SGRP-3/235mm	235	22	9.3
SGRP-3/240mm	240	22	10
SGRP-3/280mm	280	23	9.3

DOOR ACCESSORIES

ESCUTCHEON COVER




SGRP-856000 Striker Plate

For 60 x 85 Mortise Sashlock

Material - Stainless Steel SUS304

Finishing - SS

Packing - 200 pcs/carton




SGCK-8906/SN

Dummy Cover for Profile Cylinder

Material - Brass

Finishing - SN

Packing - 40 prs/box, 240 pairs/carton




SGEC-F11B

Round Escutcheon Cover

Material - Stainless Steel SUS304

Finishing - SS

Packing - 100 pairs/carton




SGEC-F13

Round Escutcheon

Material - Stainless Steel SUS304

Finishing - SS

Packing - 100 pairs/carton



SGEC-F14

Round Escutcheon without Hole


Material - Stainless Steel SUS304

Finishing - SS

Packing - 100 pcs/carton

DOOR ACCESSORIES


ESCUTCHEON COVER



SGEC-F31

Oval Escutcheon Cover


Material	- Stainless Steel SUS304
Finishing	- SS
Packing	- 30 prs/box, 180 pairs/carton



SGEC-F51

Square Escutcheon Cover


Material	- Stainless Steel SUS304
Finishing	- SS
Packing	- 25 prs/box, 100 pairs/carton



SGEC-1190/P/SN

Escutcheon with 30mm Thumbturn & Key Profile Cylinder

Material	- Escutcheon - SUS304 SS Cylinder - Brass
Finishing	- SN
Door Thickness	- 38 - 50
Function	- Privacy




SGEC-1190/ET/SN

Escutcheon with 30mm Thumbturn & Key Profile Cylinder

Material	- Escutcheon - SUS304 SS Cylinder - Brass
Finishing	- SN
Door Thickness	- 38 - 50
Function	- Entrance

DOOR ACCESSORIES

LATCH




SGCL-575

Brass Ball Latch

Material - Brass

Finishing - PB

Size	Packing
50	100 pcs/box, 1000 pcs/carton
60	50 pcs/box, 500 pcs/carton
70	50 pcs/box, 500 pcs/carton




SGCL-664

Roller Latch

Material - Brass

Finishing - SS

Packing - 20 pcs/box, 120 pcs/carton




SGCL-861

Gripset Latch

Finishing - SN

Backset - 60 - 70 Adjustable

Packing - 24 pcs/box, 96 pcs/carton



SGCL-763


Deadbolt Latch Brass Bolt

Material - Stainless Steel SUS304

Finishing - SS

Backset - 60 - 70 Adjustable

Packing - 12 pcs/box, 48 pcs/carton



SGCL-793

Deadbolt Latch Brass Bolt

Material - Stainless Steel SUS304


Finishing - AC

Backset - 60 - 70 Adjustable

Packing - 12 pcs/box, 48 pcs/carton

DOOR ACCESSORIES

LATCH



SGCL-001

Window Handle & Latch


Material - Zinc Diecast

Packing - 30 pcs/box, 300 pcs/carton

Finishing

AC

Chrome



SGCL-960


Cylindrical Spring Dead Latch

Material - Zinc Alloy, Steel & Stainless Steel

Finishing - SS

Function - Entrance

Size	A	B	C	D	E
60	50	58	26	11	2
70	60	58	26	11	2



SGCL-961


Cylindrical Spring Privacy Latch

Material - Zinc Alloy, Steel & Stainless Steel

Finishing - SS

Function - Privacy

Size	A	B	C	D	E
70	60	58	26	11	2



SGAC-H322


Roller Shutter Lock

Material - Steel

Packing - 5 pcs/box, 80 pcs/carton


DOOR ACCESSORIES

ROLLER & HASP & STAPLE





Stainless Steel Roller

Material	- Stainless Steel
Finishing	- CP
Packing	- 100 pcs/box, 2500 pcs/carton



Brass Bearing Roller


Material	- Brass
Finishing	- CP
Packing	- 100 pcs/box, 2500 pcs/carton



SGHS-KV3" CP

Hasp & Staple


Material	- Steel
Packing	- 12 pcs/box, 48 pcs/carton



SGHS-WB2-1/2" SS

Hasp & Staple

Material	- Stainless Steel SUS304
Packing	- 12 pcs/box, 48 pcs/carton




SGHS-WB4" SS

Hasp & Staple

Material	- Stainless Steel SUS304
Packing	- 12 pcs/box, 48 pcs/carton

DOOR ACCESSORIES

HASH & STAPLE




SGHS-KL24325

Hasp & Staple

Material - Stainless Steel SUS304

Packing - 60 pcs/box, 240 pcs/carton




SGHS-KL24303

Hasp & Staple

Material - Stainless Steel SUS304

Packing - 60 pcs/box, 240 pcs/carton




SGHS-KL24304

Hasp & Staple

Material - Stainless Steel SUS304

Packing - 24 pcs/box, 96 pcs/carton



SGHS-KL24404

Hasp & Staple

Material - Stainless Steel SUS304

Packing - 24 pcs/box, 96 pcs/carton

DOOR ACCESSORIES

KEY BLANK



SGBK-51-5RW

5 Pins Cylindrical Key Blank

Material - Brass

Packing - 2500 pcs/box



SGBK-51-5GM

5 Pins Profile Cylindrical Key Blank

Material - Brass

Packing - 2500 pcs/box




SGBK-51-6GM

6 Pins Profile Cylindrical Key Blank

Material - Brass

Packing - 2500 pcs/box




SGBK-51-5TS

5 Pins Profile Cylindrical Key Blank

Material - Brass

Packing - 2500 pcs/box



SGBK-51-6TS

6 Pins Profile Cylindrical Key Blank

Material - Brass

Packing - 2500 pcs/box




SGBK-QL22

Blank Key for Pad Lock

Material - Brass

Packing - 2500 pcs/box

SLIDING & FOLDING DOOR SYSTEM



SLIDING & FOLDING DOOR SYSTEM



SLIDING DOOR FITTING

Features

- For 1- and 2-leaf sliding doors
- Height adjustable door leaves
- Suspension with supporting flange
- Self cleaning running track

Set Contains

2 pcs nylon roller, 2 door stop and 1 lower guide
4 steel screws and nuts for door stop, 1 open-end spanner, 3 steel screw for lower guide and 12 steel screw for suspend bracket



SGSF-SGWS1000
Aluminum Track

SLIDING & FOLDING DOOR SYSTEM



SLIDING DOOR FITTING

Features

- For 1- and 2-leaf sliding doors
- Height adjustable door leaves
- Suspension with supporting flange
- Self cleaning running track

Set Contains

2 pcs Black nylon roller, 2 door stop and 1 lower guide
4 steel screws and nuts for door stop, 1 open-end
spanner, 3 steel screw for lower guide and 12 steel
screw for suspend bracket






SGSF-SG1600

Aluminium Track

Size Length	Packing
2000mm	-
3000mm	-
4000mm	-
6000mm	-

SLIDING & FOLDING DOOR SYSTEM

SLIDING DOOR FITTING



SGSF-SG2100

Sliding Door Gear

Description	- 2 Roller Sets, 2 End Stopper & 1 Nylon Bottom Roller
Material	- Zinc Diecast & Nylon
Door Weight	- 100kg



SGSF-SG2200

Sliding & Folding Door Gear


Description	- 2 Roller Sets, 2 End Stopper & 1 Nylon Bottom Guide
Material	- Zinc Diecast & Nylon
Door Weight	- 50-80kg



SGSF-SGP843

Wall Mount Bracket

Description	- Wall Mount Bracket
Material	- Steel
Door Weight	-



SGSF-SG200

Aluminum Track

Size	Packing
2000mm	-
3000mm	-
4000mm	-
6000mm	-


SLIDING & FOLDING DOOR SYSTEM

SLIDING DOOR FITTING

Suitable for: Heavy internal doors for commercial and industrial use. Multiple doors may be butting or passing.

FEATURES

- Maximum load 175kg per door.
- Aluminum wrap-around track - wheels cannot jump off track.
- Nylon tyred 4 wheel carriages with lubricated steel ball bearings - sealed for maintenance free operation.
- Independent wheel saddle and suspension - optimum performance.
- Hardened steel pivot body and high strength adjusting pivot with lock nuts.
- Anti-bounce track mounted door stops.
- Optional pelmet - Aluminum extrusion in mill finish or clear anodised.



SGSF-8300
Top Roller Hanger



SGSF-826
End Stopper



SGSF-SG208
Bottom Guide



SGSF-822
Wall Mount Bracket




SGSF-820
Aluminum Top Track

Size	Packing
2000mm	-
3000mm	-
4000mm	-
6000mm	-

SLIDING & FOLDING DOOR SYSTEM

SLIDING DOOR FITTING



SGSF-SG3300

Sliding Door Gear

Material	- Stainless Steel SUS304
Packing	- 10 Sets/box, 40 sets/carton



SGSF-SG331

Top Roller Hanger

Material	- Stainless Steel SUS304
Packing	- 40 pcs/box, 240 pcs/carton



SGSF-SG375

End Stopper

Material	- Mild Steel
Packing	- 50 pcs/box, 300 pcs/carton




SGSF-337

Sliding Door Bracket Connector

Material	- Steel
Packing	- 20 pcs /box, 200 pcs/carton

SLIDING & FOLDING DOOR SYSTEM

SLIDING GLASS DOOR FITTING



SGWSF-SG6001

Sliding Door Track

Material - Aluminium

Finishing - Silver


Size Packing

2.0 mtr -

3.0 mtr -

4.0 mtr -

6.0 mtr -



SGWSF-SG6003

Sliding Door Track

Material - Aluminium

Finishing - Silver


Size Packing

2.0 mtr -

3.0 mtr -

4.0 mtr -

6.0 mtr -



SGSF-L812

Glass Door Bottom Guide

Packing - 100 pcs/carton





SLIDING & FOLDING DOOR SYSTEM

FOLDING DOOR FITTING



SGSF-SGW75 Folding Door System

Features


- Door weights up to 75kg
- Wooden door leaves
- 2-to-8-leaves folding doors
- Floating suites possible
- Full corrosion resistance construction
- 304 marine grade cast stainless steel parts for improved strength and maximum corrosion resistance
- Concealed guide channel to enhance appearance
- Mortise or non-mortise hinge and hangers
- Precision bearings top and bottom to reduce rolling resistance
- Durable polypropylene channel provides quiet operation
- Ideal for coastal application

Technical Data

- | | |
|---------------------|-----------|
| • Max Door Height | 3300mm |
| • Max Load Capacity | 75kg |
| • Max Door Width | 900mm |
| • Max Door Leaves | 8 |
| • Door Thickness | 35 - 50mm |
| • Min Track Radius | 5000mm |

Material and Finishes

- | | |
|----------------------|--|
| • Running track | Aluminum |
| • Upper hanging | Nylon Roller and SUS304 Suspend Profile |
| • Hinge | SUS304 |
| • Hanger bodies | SUS304 |
| • Bottom guides | High Precision Bearings and SUS304 Suspend Fitting |
| • Bottom track | Aluminum |
| • Lined bottom track | Invisible PVC |



INSTALLATION CONFIGURATION


2 panels				
3 panels				
4 panels				
5 panels				
6 panels				
7 panels				
8 panels				

SLIDING & FOLDING DOOR SYSTEM

FOLDING DOOR FITTING

SGSF-SGW75 Folding Door System

INSTALLATION DIMENSION




SLIDING & FOLDING DOOR SYSTEM


FOLDING DOOR FITTING

SGSF-SGW75 Folding Door System


ATTACHMENT



SGSF-SGW75-A




SGSF-SGW75-B




SGSF-SGW75-C


ADJUSTMENT




HEIGHT
ADJUSTMENT




LOCKING



LOCKING



BOTTOM PIVOT
ADJUSTMENT



SGSF-7500

Aluminium Track

Material - Aluminium


Length Packing

3000 mm

-

6000 mm

-



SGSF-B7500

Bottom Guide Channel

Material - Aluminium



Length Packing

3000 mm

-

6000 mm

-



SGSF-SGP7500

PVC Support Guide Channel

Material - PVC

Length Packing

3000 mm


-

6000 mm

-

SLIDING & FOLDING DOOR SYSTEM

FOLDING DOOR FITTING




SGSF-SGW75-A

Top & Bottom Pivot Set

Finishing - SS

Packing - 20 sets/carton




SGSF-SGW75-B

Intermediate Hinge Set

Finishing - SS

Packing - 20 sets/carton



SGSF-SGW75-C

Top Roller Hanger Set


Finishing - SS

Packing - 20 sets/carton

FOLDING DOOR FITTING

Suitable for: Heavy internal doors for domestic, commercial and industrial use. Maximum of 8 leaves in any single run.

- Maximum load 60kg per leaf. Guide channel must be used when end pivoted otherwise 45kg per leaf.
- Nylon tyred 4 wheel carriages with lubricated steel ball bearings - quiet and smooth running.
- Hardened steel pivot body for added strength.
- Top pivot track clamp for vertical alignment.
- Thrust bearing at each pivot point.
- High strength height adjusting pivot with lock nuts.
- Optional top, side or end fix brackets.
- Aluminum wrap around ribbed track for obstruction free use and visual appeal.
- Chrome plated brackets.
- Brass pivot for long life and ease of adjustment.
- Optional guide system.
- Suits door thickness's of 32mm and above.



SLIDING & FOLDING DOOR SYSTEM


FOLDING DOOR FITTING

Code		Description	Material	Door Weight	Size	
SGSF-SG2200		2 Roller Sets, 2 End Stopper & 1 Nylon Bottom Guide	Zinc Diecast / Nylon	50-80kg	-	
SGSF-SGP843		Wall Mount Bracket	Steel	-	-	
SGSF-SGP842		Nylon Roller Bottom Guide	Steel & Nylon	-	-	
SGSF-849		Bottom Guide Channel	Aluminum	-	2.0 mtr	
				-	3.0 mtr	
				-	4.0 mtr	
				-	6.0 mtr	
SGSF-SG200		Aluminum Track	Aluminum	-	2.0 mtr	
					3.0 mtr	
					4.0 mtr	
					6.0 mtr	

* Above product matching set

JAD®






JDCD-V5871/60mm

Cylindrical Lock

Material	- Stainless Steel
Backset	- 60
Door Thickness	- 32 - 47
Packing	- 6 sets/box, 24 sets/carton


Finishing	Function
SS	Entrance
AC	Entrance



JDCD-V5791/60mm

Cylindrical Lock

Material	- Stainless Steel
Finishing	- SS
Function	- Entrance
Backset	- 60
Door Thickness	- 32 - 47
Packing	- 24 sets/carton




JDTL-1057

Tubular Lever

Material	- Zinc Diecast
Backset	- 60-70
Door Thickness	- 32 - 47
Packing	- 6 sets/box, 12 sets/carton


Finishing	Function
SN	Entrance
SN	Privacy



JDTL-1072

Tubular Lever


Material	- Stainless Steel
Finishing	- SN
Function	- Entrance
Backset	- 60
Door Thickness	- 32 - 47
Packing	- 6 sets/box, 12 sets/carton



JDTL-1077

Tubular Lever


Material	- Zinc Diecast
Finishing	- SN
Function	- Entrance
Backset	- 60 - 70
Door Thickness	- 32 - 47
Packing	- 6 sets/box, 12 sets/carton



JDTL-1086

Tubular Lever Set


Material	- Zinc Diecast
Finishing	- SN
Function	- Entrance
Backset	- 60 - 70
Door Thickness	- 32 - 47
Packing	- 6 sets/box, 12 sets/carton



JDCD-3861

Cylindrical Knob Set


Material	-	Stainless Steel
Finishing	-	AC
Function	-	Entrance
Backset	-	60
Door Thickness	-	32 - 47
Packing	-	30 sets/carton



JDCD-3871

Cylindrical Knob Set

Material	-	Stainless Steel
Backset	-	60
Door Thickness	-	32 - 47
Packing	-	30 sets/carton
Finishing	Function	
SS/AC	Entrance	
SS	Privacy	



JDDH-987018

Hinge


Material	-	Stainless Steel
Finishing	-	SS
Packing	-	25 pack/box, 50 pack/carton



JDDC-703

Door Closer

Material	-	Aluminum
Packing	-	10 sets/carton



TECHNICAL INFORMATION & FUNCTION

Width of Door (mm) Max		500-1000
Weight of Door (kg) Max		25 - 45
Max Open Angle		180°
Closing Speed Adjustment	Speed 1	180° - 20°
	Speed 2	20° - 0°
Applicability		Left or Right Open Door



YOUR SECURITY PARTNER

ASSA ABLOY Opening Solutions Malaysia Sdn Bhd

201501015663 (1140996-H)

Level 1, East Wing, Wisma Consplant 1, No. 2, Jalan SS16/4,
47500 Subang Jaya, Selangor Darul Ehsan, Malaysia.

 info.my@assaabloy.com

 stguchi.com.my

 [stguchilock](https://www.facebook.com/stguchilock)